

PHASE II ENVIRONMENTAL SITE ASSESSMENT

Component 1C

**Rainbow Disposal Company, Inc.
17121 Nichols Street
Huntington Beach, California 92647**

prepared for

Rainbow Disposal Company, Inc.

April 9, 2007

Project No. 281-E

prepared by

environ strategy consultants, inc.



30 Hughes, Suite 209
Irvine, California 92618
tel 949.581.3222
fax 949.581.3207

PHASE II ENVIRONMENTAL SITE ASSESSMENT

Rainbow Disposal Inc.
Huntington Beach, California

Page i
April 9, 2007

TABLE OF CONTENTS

1.0 INTRODUCTION	1
2.0 PURPOSE AND SCOPE OF SERVICES	1
3.0 BACKGROUND.....	1
4.0 SUBSURFACE INVESTIGATION	2
4.1 SOIL SAMPLING.....	3
4.1.1 February 2007 Soil Sampling.....	3
4.1.2 March 2007 Soil Sampling.....	4
5.0 ANALYTICAL RESULTS	5
5.1 METALS RESULTS	5
5.2 PH, PETROLEUM HYDROCARBON, AND PCB RESULTS	5
5.3 VOCs RESULTS.....	5
5.4 SVOCs RESULTS	6
6.0 CONCLUSION.....	6

PHASE II ENVIRONMENTAL SITE ASSESSMENT

Rainbow Disposal Inc.
Huntington Beach, California

Page ii
April 9, 2007

LIST OF FIGURES AND APPENDICES

FIGURES

- | | |
|---|---|
| 1 | Site Location Map |
| 2 | Site Plan Showing Soil Sampling Locations |

TABLE

- | | |
|---|---|
| 1 | Summary of Soil Analytical Results - 2004 Phase II ESA |
| 2 | Soil Metals Results |
| 3 | pH, Petroleum Hydrocarbon, and PCB Results for Soil Samples |
| 4 | Soil Volatile Organic Compound Results |
| 5 | Soil Semi-Volatile Organic Compound Results |

APPENDICES

- | | |
|---|--|
| A | Boring Logs and Laboratory Data from the 2004 Phase II ESA |
| B | Health and Safety Plan |
| C | Soil Boring Logs |
| D | Certified Laboratory Analytical Data |

Phase II Environmental Assessment Report

Component 1C

Rainbow Disposal Co., Inc.
Huntington Beach, CA 92647

1.0 INTRODUCTION

Presented in this report are the results of Environ Strategy Consultants, Inc. (Environ Strategy) Phase II Environmental Site Assessment (ESA) for Component 1C performed at the above referenced site, located in Huntington Beach, California (Figure 1). The Rainbow Disposal Co. (Rainbow) site consists of 17.59 acres occupied by a solid waste truck fleet, recycling facility, and transfer station (Figure 2). Rainbow is preparing to perform remodeling in several areas of the site. The proposed remodeling areas have been separated into Components 1A, 1B, and 1C. Environ Strategy was retained by Rainbow to perform an additional Phase II ESA for Component 1C which is one quarter acre in size (approximately 11,800 square feet) and is located in the northeastern corner of the site.

2.0 PURPOSE AND SCOPE OF SERVICES

As described in detail in Section 3.0 below, a Phase I and a Phase II ESA were conducted at the Site in 2004. Recent meetings and correspondence have occurred between the City of Huntington Beach Fire Department (HBFD) and Rainbow, regarding the planned remodeling at the site. The HBFD requested an additional soil investigation be performed to meet the requirements of the HBFD City Specification No. 431-92. A *Workplan for Additional Subsurface Investigation* (Workplan) was prepared on March 16, 2007. The soil investigation described in this report was conducted in accordance with HBFD City Specification No. 431-92 and the Workplan which was conditionally approved by the HBFD. This report also contains the soil and groundwater results in the vicinity of the Component 1C area from the 2004 Phase II ESA. The results of these subsurface investigations were compared to the limits/thresholds in the HBFD City Specification No. 431-92 to determine if Rainbow requires environmental site clean up or corrective action. A summary of the site background is presented below.

3.0 BACKGROUND

Rainbow currently occupies 17.59 acres of land located at 17121 Nichols Street within the City of Huntington Beach in Orange County, California (Figure 1). The site property is located 500 feet south of Warner Avenue near the intersection of Nichols Street and Belsito Drive. The site is bounded by Nichols Street on the east, the Southern Pacific Railroad on the west, and commercial and industrial facilities on the north and south. The site latitude and longitude are 33° 42' 51.8" North and 117° 59' 44.9" West and the site elevation is approximately 29 feet above mean sea level (AMSL).

The property currently operates as an active permitted waste transfer and material recycling facility with a household hazardous materials collection center and an overall processing capacity of 2,800 tons per day. Site structures include an administration building, a vehicle repair shop, a welding shop, a material recycling facility (MRF), a transfer building, several trailers, and ancillary sheds and canopies.

A Phase I Environmental Site Assessment (ESA) was prepared in June 2004 for Rainbow. The Phase I ESA revealed that the site has had a long history of a variety of commercial and industrial uses. The property was originally used as farm land. Around 1938 a two-story building in the southwest corner of the site operated as a meat packing facility, followed by later use as a lumberyard and a used oil filter processing facility. This building and a maintenance storage building located on the south end of the site were removed in 2006. Commercial and industrial use in the northern portion of the site, started in the 1950s with the Orange County Ice facility. Other offices and maintenance buildings operated on the site through the late 1970s when Rainbow acquired a portion of the property. The current administration building, vehicle repair shop, and transfer building were built around 1983 and the MRF was added in 1994 (Figure 2). During Rainbow's ownership various maintenance activities using solvents, fuels and waste oils have occurred at the site. A total of twelve USTs have been documented to exist on the site, all of which have been removed (Figure 2). A release of diesel fuel occurred in 1984 from a diesel fuel pipeline near the transfer building. Rainbow purchased the parcel north of their existing site to implement clean-up. The northern half of the site went through extensive investigation and remediation during the late 1980s and early 1990s to clean up the release and UST areas. After remediation and extensive soil and groundwater monitoring investigations, it was determined in 1996 that contamination levels had reached acceptable levels. As a result, the LUST case for the subject site was given a closure letter on October 15, 1996 by the Santa Ana Regional Water Quality Control Board.

Given the history of industrial activities on the site, the LUST case, and the proximity of potential pollutants from facilities located upgradient, a Phase II site investigation was conducted at the site in 2004. Environ Strategy performed 30 soil borings and 3 hydropunches, collecting a total of three (3) ground water samples and ninety (90) soil samples ranging from depths of 5 feet to 15 feet below ground surface (bgs) in areas of concern around the site. The samples were analyzed for the full list of volatile organic compounds (VOCs) by EPA Method 8260B, and for total petroleum hydrocarbons as gasoline and diesel (TPHg and TPHd) by Modified EPA Method 8015.

Four (4) of the soil borings (SB-9, SB-10, SB-11, and SB-12) were located approximately 10 to 50 feet south of Component 1C in the Visitor Parking Area (Figure 2). No TPHg, TPHd, or VOCs were detected in any of the soil samples collected from these soil borings. The results of the soil data for samples collected in the vicinity of Component 1C are summarized in Table 1. The soil boring logs and analytical data for the 2004 Phase II ESA are enclosed in Appendix A.

In response to meetings and correspondence with the HBFD, additional soil investigations were conducted in 2007 in the Component 1C area of Rainbow site (Figure 2) in order to comply with City Specification No. 431-92.

4.0 SUBSURFACE INVESTIGATION

Environ Strategy was retained to perform an additional subsurface investigation at Rainbow including the Component 1C portion of the subject site in accordance with a Workplan dated March 16, 2007 and an email dated March 21, 2007 from the HBFD. The email contained a request for additional soil sampling in Component 1C as recommended by the HBFD's consultant Geosyntec. Geosyntec's recommendations included adding an additional boring near the base of the pole mounted transformer (FDB-10) and one near the northern site drainage swale (FDB-11). These locations along with the two borings performed

PHASE II ENVIRONMENTAL SITE ASSESSMENT

Rainbow Disposal Inc.
Huntington Beach, California

Page 3
April 9, 2007

on February 22, 2007 (FDB-1 and FDB-2) are illustrated on Figure 2. The following section describes the field methods and sample collection procedures for the subsurface investigations at the site.

Field activities at the Component 1C area were conducted on February 22 and March 26, 2007. Prior to initiating field work, boring locations were marked with white paint and Underground Service Alert was contacted to mark nearby underground utilities and buried pipes.

No permits were required for the soil borings, since ground water would not be encountered during drilling and no permanent wells were constructed.

A Site Specific Health and Safety Plan was created to identify chemical and physical hazards at the subject site and present methods to minimize employee exposure to these hazards. The Health and Safety Plan was implemented in the field by the Site Safety Officer. Prior to commencing work each day all persons working on-site were required to read, sign and comply with procedures described. The Health and Safety Plan is enclosed in Appendix B. Field personnel on site were health and safety certified in accordance with Occupational Safety Health Administration (OSHA) regulations as applicable under 29 Code of Federal Regulations 1910.120.

4.1 Soil Sampling

Environ Strategy conducted four (4) soil borings in Component 1C including FDB-1, FDB-2, FDB-10, and FDB-11. Soil samples collected in the borings were obtained at various depths up to a maximum of 20 feet bgs. A total of 12 soil samples were collected and analyzed from the borings conducted in the Component 1C area.

4.1.1 February 2007 Soil Sampling

Borings FDB-1 and FDB-2 were drilled on February 22, 2007 using a direct push 6600 GeoProbe rig equipped with a hydraulic hammer. Soil samples were collected at five-foot intervals in 1.125-inch diameter by 2-foot long acetate liners using a solid-barrel sampler. The barrel sampler was decontaminated prior to each boring using a three stage cleaning process. The sampler was then advanced in the borehole by repeated hammering. Upon retrieving the sampler, the acetate liner was removed and the bottom portion cut at approximately six (6) inches length. Five (5) five-gram En Core[®] samplers were then filled with soil from the liner in accordance with EPA Method 5035. The remaining soil in the liner was sealed with Teflon[®], capped with plastic covers, and taped with Parafilm[®] (an inert self-sealing tape material). The samples were then labeled and placed in baggies in a cooler on ice until delivery to the analytical laboratory under Chain-of-custody later that same day.

The remaining soil in the acetate liner was described in accordance with Unified Soil Classification System (USCS) by a State-Registered Professional Geologist (PG). The boring logs, presented as Appendix B, record the lithologic description. Field screening for hydrocarbon concentrations was performed by placing a dis-aggregated portion of each sample in a sealed container and monitoring for head-space volatility using a Mini Rae organic vapor meter (OVM). The OVM was calibrated and span checked in accordance with the manufacturers specifications and recommended guidelines. Head-space OVM readings are also recorded on the boring log form.

PHASE II ENVIRONMENTAL SITE ASSESSMENT

Rainbow Disposal Inc.
Huntington Beach, California

Page 4
April 9, 2007

Samples from FDB-1 and FDB-2 were analyzed for pH by EPA Method 9045C, total CAM Metals by EPA Method 6010B and 7471A, VOCs by EPA Method 8260B, semi-volatile organic compounds (SVOCs) by EPA Method 8270C, polychlorinated biphenyls (PCBs) by EPA Method 8082, total recoverable petroleum hydrocarbons (TRPH) by EPA Method 418.1, and TPHg and TPHd by Modified EPA Method 8015. The results of these analyses are discussed in Section 5.0 of this report.

Upon completion, the borehole was backfilled with granulated bentonite and hydrated with clean water. It was completed at the surface with asphalt.

A minimal quantity of soil cuttings and decontamination water were generated during drilling activities. The soil cuttings and the decontamination water were disposed of on-site. No manifest documentation was required.

4.1.2 March 2007 Soil Sampling

Borings FDB-10 and FDB-11 were drilled on March 26, 2007 using a CME 75 hollow stem auger rig. The soil samples from FDB-11 were collected at depths of 3, 8, and 13 feet bgs. Boring FDB-10, located near a pole mounted transformer, was drilled and sampled at a depth of two (2) feet bgs, to screen for shallow soil contaminants. Due to drilling rig safety practices regarding overhead electrical lines, boring FDB-10 was located approximately 20 feet away from the base of the pole mounted transformer as illustrated on Figure 2.

All the samples were collected in 6-inch long brass rings enclosed in a 3-inch outer diameter, 2.44-inch inner diameter split barrel that was driven a total of 12-inches into the materials at the bottom of the drill hole. Upon retrieving the sampler, the bottom brass ring was removed and three (3) five-gram En Core[®] samplers were then filled with soil from the ring in accordance with EPA Method 5035. The remaining soil in the ring was sealed with Teflon[®], capped with plastic covers, and taped with Parafilm[®] (an inert self-sealing tape material). The samples were then labeled and placed in baggies in a cooler on ice until delivery to the analytical laboratory under Chain-of-custody later that same day.

Sample materials remaining in the waste barrel and sampler shoe were used to assist in classifying the materials in accordance with Unified Soil Classification System (USCS) by a PG. Field screening for hydrocarbon concentrations was performed by placing a dis-aggregated portion of each sample in a sealed container and monitoring for head-space volatility using a Mini Rae OVM. The OVM was calibrated and span checked in accordance with the manufacturers specifications and recommended guidelines. Head-space OVM readings are also recorded on the boring log form.

Samples collected with the California sampler were driven into the bottom of the drill hole with the effective weight of the Kelly bar on the hollow stem auger drill rig. The approximate length of the fall, the weight of the bar, and the number of blows per foot of the driving record were recorded in the field. The total number of blows required to drive the sampler 12-inches, the lithologic description, and the head-space OVM readings are recorded on the Subsurface Exploration Logs, included in Appendix C.

The samples collected from borings FDB-10 and FDB-11 were analyzed for pH by EPA Method 9045C, total CAM Metals by EPA Method 6010B and 7471A, TPHg and TPHd by Modified EPA Method 8015, and total recoverable petroleum hydrocarbons (TRPH) by EPA Method 418.1. The soil sample collected

at a depth of 2 feet from boring FDB-10 was also analyzed for PCBs by EPA Method 8082. These analytical results are discussed in Section 5.0 of this report.

5.0 ANALYTICAL RESULTS

The soil samples collected in Component 1C were analyzed by Calscience Environmental Laboratories, Inc., a State-Certified analytical laboratory. The certified laboratory analytical reports and chain-of-custody documentation are enclosed in Appendix D and the soil analytical results are summarized in Tables 2, 3, 4, and 5. Laboratory quality control samples consisted of method blanks and matrix spike (MS) and matrix spike duplicate (MSD) samples.

5.1 Metals Results

The 12 soil samples were analyzed for total CAM metals and the results are summarized in Table 2. All the detected metals concentrations, with the exception of arsenic, were well below the preliminary remediation goals (PRGs) for industrial and residential land use promulgated by EPA Region 9 (USEPA, 2004). The arsenic results ranged from 1.40 mg/kg to 15.8 mg/kg, which is above the PRGs, but below the total threshold limit concentration value of 500 mg/kg for arsenic. Arsenic is a naturally occurring element found in southern California bedrock.

Mercury, selenium, and silver were not detected in any of the soil samples. The metals results including arsenic did not exceed ten times the soluble threshold limit concentration (STLC) value. Therefore, no soluble metals analyses were required in accordance with City Specification No. 431-92.

5.2 pH, Petroleum Hydrocarbon, and PCB Results

The pH, TRPH, TPHg, TPHd, and PCB results for all the samples are summarized in Table 3. The certified analytical reports and chain-of-custody documentation are enclosed in Appendix D.

All the soil samples had pH results within the range of 6 to 9.

TPHg was not detected above the MDL in any of the soil samples. TPHd was detected in soil samples FDB-2-20 and FDB-11-3 at concentrations of 26 mg/kg and 8.4 mg/kg, respectively. TRPH was detected in five (5) of the 12 samples at concentrations ranging from 11 to 27 mg/kg.

No PCB constituents were detected above the MDLs in soil borings FDB-1, FDB-2, or FDB-10.

5.3 VOCs Results

The eight (8) soil samples collected from borings FDB-1 and FDB-2 were analyzed for the full list of VOCs. Toluene was the only VOC compound detected above its MDL, in two of the samples collected from boring FDB-1. The ten foot (FDB-1-10) and fifteen foot (FDB-1-15) samples had toluene concentrations of 5.4 ug/kg and 2.0 ug/kg, respectively. These concentrations were much lower than the PRGs set for toluene in industrial and residential soils by EPA Region 9 (USEPA, 2004). The analytical results are summarized in Table 4. The certified analytical reports and chain-of-custody documentation are enclosed in Appendix D.

5.4 SVOCs Results

The soil samples collected from borings FDB-1 and FDB-2 on February 22, 2007 were analyzed for the full list of SVOCs. No SVOCs were detected above MDLs in any of the soil samples collected, except for bis(2-ethylhexyl) phthalate detected at a concentration of 3.5 ug/kg in sample FDB-2-5. The data is summarized in Table 5 and the analytical reports and chain-of-custody documentation are enclosed in Appendix D.

6.0 CONCLUSION

Environ Strategy was retained by Rainbow to perform an additional Phase II ESA for Component 1C which is approximately 11,800 square feet and is located in the northeastern corner of the site. This additional ESA was performed in accordance with the requirements of the HBFD City Specification No. 431-92, a conditionally approved Workplan dated March 16, 2007, and recommendations from the HBFD's consultant. The field work conducted by Environ Strategy included collection of a total of 12 soil samples in the Component 1C area of concern at the site.

The soil samples in Component 1C were analyzed for pH, TPHg, TPHd, TRPH, total CAM metals, PCBs, VOCs, and SVOCs.

TRPH and TPHd were detected in some of the soil samples collected from Component 1C, at maximum concentrations of 27 mg/kg and 26 mg/kg, respectively (Table 3). These concentrations are well below the HBFD Screening Level for Hydrocarbon Clean-up of 1,000 ppm (mg/kg) for commercial and industrial land use. The contaminants TPHg and PCBs were not detected in any of the soil samples above MDLs (Table 3).

Toluene was the only VOC detected in two of the samples collected from boring FDB-1 (Table 4). The SVOC, bis(2-ethylhexyl) phthalate was the only other organic compound detected in Component 1C samples (Table 5). These VOC and SVOC results were detected at concentrations less than 6 ug/kg (ppb), which is several orders of magnitude less than the PRGs for industrial and residential land use promulgated by EPA Region 9.

The metals with the exception of arsenic were also below the PRGs for industrial and residential land use. Arsenic concentrations were below the TTLC and ten times the STLC, and are consistent with background levels of arsenic at the site. Natural background concentrations of arsenic in California are often well above the health-based, direct-exposure goals in soil of 0.07 mg/kg for residential land use and 0.24 mg/kg for commercial/industrial land use (e.g., Bradford et. al, 1996; LBNL 2002).

The data collected in the soil indicate concentration levels that are well below the action levels in the City of Huntington Beach Specification No. 431-92. Based on the soil analytical data for Component 1C, we believe that the results do not trigger the City's requirements for an environmental remediation or corrective action for the soil in that area.

PHASE II ENVIRONMENTAL SITE ASSESSMENT

Rainbow Disposal Inc.
Huntington Beach, California


Page 7
April 9, 2007

Environ Strategy sincerely appreciates the opportunity to be of service. If you have any questions or require additional information or clarification, please do not hesitate to contact the undersigned.


Respectfully submitted,



Margaret P. Patrick, R.G. 7620
Project Geologist



FIGURES



2000 0 2000
APPROXIMATE SCALE IN FEET

ENVIRON STRATEGY
CONSULTANTS, INC.

30 Hughes, Suite 209
Irvine, California 92618


FIGURE 1
SITE VICINITY MAP

RAINBOW DISPOSAL
17121 NICHOLS ST.
HUNTINGTON BEACH, CA

DATE:
06/10/04

PROJECT NO.
281-A

FILE NO.
281AFig1



DATE:
3/29/07

PROJECT NO.
281-A

FILE NO.
217AFIG2Ad

environ strategy consultants, inc.

30 Hughes, Suite 209
Irvine, California 92618



FIGURE 2
SITE PLAN SHOWING
COMPONENTS 1A, 1B & 1C
BORING LOCATIONS

RAINBOW DISPOSAL
17121 NICHOLS ST.
HUNTINGTON BEACH, CA

TABLES

TABLE 1
RAINBOW DISPOSAL COMPANY, INC.
Summary of Soil Analytical Results from 2004 Phase II ESA

Sample	Date	EPA Method 8015 (mg/kg)	EPA Method 8015 (mg/kg)	EPA Method 8260B (ug/kg)				
Number	Sampled	TPHg	TPHd	Benzene	Toluene	Ethylbenzene	Xylenes	MTBE
PRG-Ind ¹				1,400	520,000	400,000	270,000	70,000
PRG-Res ²				640	520,000	400,000	420,000	32,000
SB-9-5	6/16/2004	<0.5	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0
SB-9-10	6/16/2004	<0.5	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0
SB-9-15	6/16/2004	<0.5	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0
SB-10-5	6/16/2004	<0.5	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0
SB-10-10	6/16/2004	<0.5	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0
SB-10-15	6/16/2004	<0.5	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0
SB-11-5	6/16/2004	<0.5	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0
SB-11-10	6/16/2004	<0.5	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0
SB-11-15	6/16/2004	<0.5	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0
SB-12-5	6/17/2004	<0.5	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0
SB-12-10	6/17/2004	<0.5	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0
SB-12-15	6/17/2004	<0.5	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0

Notes:

TPHg- Total Petroleum Hydrocarbons as Gasoline

TPHd- Total Petroleum Hydrocarbons as Diesel

MTBE- Methyl Tert Butyl Ether

The samples were analyzed for the full list of volatile organic compounds (VOCs), but no VOCs were detected above method detection limits (MDLs).

1 PRG-Ind - Preliminary Remediation Goals for Industrial land use promulgated by EPA Region 9 (US EPA, 2004).

2 PRG-Res - Preliminary Remediation Goals for Residential land use promulgated by EPA Region 9 (US EPA, 2004).

TABLE 2
RAINBOW DISPOSAL COMPANY, INC. SOIL METALS RESULTS
(all units are mg/kg)

Sample ID	Date	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Cobalt	Copper	Lead	Mercury	Molybdenum	Nickel	Selenium	Silver	Thallium	Vanadium	Zinc
TTL ¹ (mg/kg)		500	500	10,000	75	100	2,500	8,000	2,500	1,000	20	3,500	2,000	100	500	700	2,400	5,000
STLC ² (mg/L)		15	5.0	100	0.75	1.0	5	80	25	5.0	0.2	350	20	1.0	5	7.0	24	250
PRG-Ind ³ (mg/kg)		410	0.25	67,000	1,900	450	450	1,900	41,000	800	310	5,100	20,000	5,100	5,100	67	7,200	100,000
PRG-Res ⁴ (mg/kg)		31	0.062	5,400	150	37	210	900	3,100	150	23	390	1,600	390	390	5.2	550	23,000
FDB-1-5	2/22/07	0.797	5.61	136	0.327	<0.500	19.7	12.0	16.1	6.2	<0.0835	<0.250	16.2	<0.750	<0.250	<0.750	42.8	54.3
FDB-1-10	2/22/07	<0.750	14.9	144	0.396	0.564	17.2	11.1	20.8	4.52	<0.0835	0.341	15.5	<0.750	<0.250	<0.750	39.6	44.0
FDB-1-15	2/22/07	<0.750	6.37	203	<0.250	<0.500	18.0	12.0	18.2	5.95	<0.0835	0.480	21.2	<0.750	<0.250	<0.750	34.7	67.0
FDB-1-20	2/22/07	0.800	15.6	93.5	0.385	<0.500	32.6	14.0	26.5	7.70	<0.0835	0.304	28.5	<0.750	<0.250	<0.750	49.1	67.1
FDB-2-5	2/22/07	<0.750	5.35	69.2	0.591	<0.500	14.9	7.75	16.5	7.3	<0.0835	<0.250	14.0	<0.750	<0.250	<0.750	31.2	43.6
FDB-2-10	2/22/07	<0.750	4.36	37.7	<0.250	<0.500	6.96	4.50	4.93	2.02	<0.0835	<0.250	4.69	<0.750	<0.250	<0.750	19.2	24.3
FDB-2-15	2/22/07	<0.750	1.67	28.7	<0.250	<0.500	4.42	2.25	2.92	1.40	<0.0835	0.342	2.89	<0.750	<0.250	<0.750	8.60	11.5
FDB-2-20	2/22/07	1.56	15.8	90.1	0.503	0.591	28.4	15.8	28.1	10.3	<0.0835	0.399	27.1	<0.750	<0.250	<0.750	53.8	71.5
FDB-10-2	3/26/07	<0.750	2.60	104	0.627	<0.500	16.4	8.18	14.9	7.1	<0.0835	0.266	15.1	<0.750	<0.250	<0.750	27.2	38.3
FDB-11-3	3/26/07	<0.750	1.40	120	0.465	0.607	20.9	9.85	18.3	6.13	<0.0835	<0.250	16.2	<0.750	<0.250	<0.750	45.1	54.3
FDB-11-8	3/26/07	<0.750	3.14	55.1	0.293	<0.500	13.5	6.42	13.7	4.1	<0.0835	<0.250	10.8	<0.750	<0.250	<0.750	35.0	37.5
FDB-11-13	3/26/07	<0.750	12.1	165	1.10	0.991	35.6	17.9	42.4	11.70	<0.0835	0.604	31.3	<0.750	<0.250	1.07	62.0	81.1

1 TTL¹ - Total Threshold Limit Concentration Values for select inorganic persistent and bioaccumulative toxic substances per Title 22 Section 66261.24 Characteristic of Toxicity.

2 STLC² - Soluble Threshold Limit Concentration Values for select inorganic persistent and bioaccumulative toxic substances per Title 22 Section 66261.24 Characteristic of Toxicity.

3 PRG-Ind - Preliminary Remediation Goals for Industrial land use promulgated by EPA Region 9 (USEPA, 2004)

4 PRG-Res - Preliminary Remediation Goals for Residential land use promulgated by EPA Region 9 (USEPA, 2004).

Non-detect values are presented as less than (<) the reporting limit.

TABLE 3
RAINBOW DISPOSAL COMPANY, INC.

pH, Petroleum Hydrocarbon, and polychlorinated biphenyl (PCB) Results for Soil Samples

Date Sampled		2/22/07	2/22/07	2/22/07	2/22/07	2/22/07	2/22/07	2/22/07	2/22/07	3/26/07	3/26/07	3/26/07	3/26/07
COMPOUND	Reporting Limit Units	FDB-1-5	FDB-1-10	FDB-1-15	FDB-1-20	FDB-2-5	FDB-2-10	FDB-2-15	FDB-2-20	FDB-10-2	FDB-11-3	FDB-11-8	FDB-11-13
pH by EPA Method 9085C													
pH	pH units	7.51	7.21	7.08	7.60	8.45	7.35	7.81	7.08	8.10	8.39	8.34	7.71
Total Petroleum Hydrocarbons as diesel (d) and gasoline (g) by Modified EPA Method 8015B													
TPHd	mg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	26	<5.0	8.4	<5.0	<5.0
TPHg	mg/kg	<0.28	<0.26	<0.24	<0.25	<0.22	<0.24	<0.31	<0.22	<0.24	<0.23	<0.23	<0.23
Total Recoverable Petroleum Hydrocarbons (TRPH) by EPA Method 418.1M													
TRPH	mg/kg	<10	<10	<10	11	<10	<10	<10	<10	18	27	27	25

Poly Chlorinated Biphenyls (PCBs) by EPA Method 8082

COMPOUND	Reporting Limit Units	FDB-1-5	FDB-1-10	FDB-1-15	FDB-1-20	FDB-2-5	FDB-2-10	FDB-2-15	FDB-2-20	FDB-10-2	PRG-Ind ¹	PRG-Res ²
Aroclor 1016	ug/kg	<50	<50	<50	<50	<50	<50	<50	<50	<50		
Aroclor 1221	ug/kg	<50	<50	<50	<50	<50	<50	<50	<50	<50		
Aroclor 1232	ug/kg	<50	<50	<50	<50	<50	<50	<50	<50	<50		
Aroclor 1242	ug/kg	<50	<50	<50	<50	<50	<50	<50	<50	<50		
Aroclor 1248	ug/kg	<50	<50	<50	<50	<50	<50	<50	<50	<50		
Aroclor 1254	ug/kg	<50	<50	<50	<50	<50	<50	<50	<50	<50		
Aroclor 1260	ug/kg	<50	<50	<50	<50	<50	<50	<50	<50	<50		
Aroclor 1262	ug/kg	<50	<50	<50	<50	<50	<50	<50	<50	<50		
Total PCBs ⁵	ug/kg	<50	<50	<50	<50	<50	<50	<50	<50	<50	740	220

NOTES:

The non-detect values are presented as less than (<) the reporting limit.

1 PRG-Ind - Preliminary Remediation Goals for Industrial land use promulgated by EPA Region 9 (US EPA, 2004).

2 PRG-Res - Preliminary Remediation Goals for Residential land use promulgated by EPA Region 9 (US EPA, 2004).

TABLE 4
RAINBOW DISPOSAL COMPANY, INC.
Soil Volatile Organic Compound Results by EPA Method 8260B
Sampled March 26, 2007 (all units are ug/kg)

COMPOUND	PRG-Res*	PRG-Ind*	FDB-1-5	FDB-1-10	FDB-1-15	FDB-1-20	FDB-2-5	FDB-2-10	FDB-2-15	FDB-2-20
Acetone	14,000,000	54,000,000	<48	<48	<47	<53	<42	<56	<84	<47
Benzene	640	1,400	<0.96	<0.96	<0.95	<1.1	<0.83	<1.1	<1.7	<0.90
Bromobenzene	28,000	92,000	<0.96	<0.96	<0.95	<1.1	<0.83	<1.1	<1.7	<0.90
Bromochloromethane			<1.9	<1.9	<1.9	<2.3	<1.7	<2.3	<3.3	<1.8
Bromodichloromethane	820	1,800	<0.96	<0.96	<0.95	<1.1	<0.83	<1.1	<1.7	<0.90
Bromoform	62,000	220,000	<4.8	<4.8	<4.7	<5.6	<4.2	<5.6	<8.4	<4.5
Bromomethane	3,900	13,000	<19	<19	<19	<21	<17	<23	<33	<18
2-Butanone			<19	<19	<19	<21	<17	<23	<33	<18
n-Butylbenzene	240,000	240,000	<0.96	<0.96	<0.95	<1.1	<0.83	<1.1	<1.7	<0.90
sec-Butylbenzene	220,000	220,000	<0.96	<0.96	<0.95	<1.1	<0.83	<1.1	<1.7	<0.90
tert-Butylbenzene	390,000	390,000	<0.96	<0.96	<0.95	<1.1	<0.83	<1.1	<1.7	<0.90
Carbon disulfide	360,000	720,000	<9.6	<9.6	<9.5	<11	<8.3	<11	<17	<9.0
Carbon tetrachloride	250	550	<0.96	<0.96	<0.95	<1.1	<0.83	<1.1	<1.7	<0.90
Chlorobenzene	150,000	530,000	<0.96	<0.96	<0.95	<1.1	<0.83	<1.1	<1.7	<0.90
Chloroethane	3,000	6,500	<1.9	<1.9	<1.9	<2.3	<1.7	<2.3	<3.3	<1.8
Chloroform	220	470	<0.96	<0.96	<0.95	<1.1	<0.83	<1.1	<1.7	<0.90
Chloromethane	47,000	160,000	<19	<19	<19	<21	<17	<23	<33	<18
2-Chlorotoluene	160,000	560,000	<0.96	<0.96	<0.95	<1.1	<0.83	<1.1	<1.7	<0.90
4-Chlorotoluene	160,000	560,000	<0.96	<0.96	<0.95	<1.1	<0.83	<1.1	<1.7	<0.90
Dibromochloromethane	1,100	2,600	<1.9	<1.9	<1.9	<2.3	<1.7	<2.3	<3.3	<1.8
1,2-Dibromo-3-chloropropane	460	2,000	<4.8	<4.8	<4.7	<5.6	<4.2	<5.6	<8.4	<4.5
1,2-Dibromoethane (EDB)	32	73	<0.96	<0.96	<0.95	<1.1	<0.83	<1.1	<1.7	<0.90
Dibromomethane			<0.96	<0.96	<0.95	<1.1	<0.83	<1.1	<1.7	<0.90
1,2-Dichlorobenzene	600,000	600,000	<0.96	<0.96	<0.95	<1.1	<0.83	<1.1	<1.7	<0.90
1,3-Dichlorobenzene	530,000	600,000	<0.96	<0.96	<0.95	<1.1	<0.83	<1.1	<1.7	<0.90
1,4-Dichlorobenzene	3,400	7,900	<0.96	<0.96	<0.95	<1.1	<0.83	<1.1	<1.7	<0.90
Dichlorodifluoromethane	94,000	310,000	<1.9	<1.9	<1.9	<2.3	<1.7	<2.3	<3.3	<1.8
1,1-Dichloroethane	510,000	1,700,000	<0.96	<0.96	<0.95	<1.1	<0.83	<1.1	<1.7	<0.90
cis-1,2-Dichloroethene	43,000	150,000	<0.96	<0.96	<0.95	<1.1	<0.83	<1.1	<1.7	<0.90
trans-1,2-Dichloroethene	69,000	230,000	<0.96	<0.96	<0.95	<1.1	<0.83	<1.1	<1.7	<0.90
1,1-Dichloroethene	120,000	410,000	<0.96	<0.96	<0.95	<1.1	<0.83	<1.1	<1.7	<0.90
1,2-Dichloropropane	340	740	<0.96	<0.96	<0.95	<1.1	<0.83	<1.1	<1.7	<0.90
1,3-Dichloropropane	100,000	360,000	<0.96	<0.96	<0.95	<1.1	<0.83	<1.1	<1.7	<0.90
2,2-Dichloropropane			<4.8	<4.8	<4.7	<5.6	<4.2	<5.6	<8.4	<4.5

* PRG - Preliminary Remediation Goals for Industrial (Ind) and residential (Res) land use promulgated by EPA Region 9 (US EPA, 2004).

Non-detects are presented as less than the reporting limit (<RP).

TABLE 4
RAINBOW DISPOSAL COMPANY, INC.
Soil Volatile Organic Compound Results by EPA Method 8260B
Sampled March 26, 2007 (all units are ug/kg)

COMPOUND	PRG-Res*	PRG-Ind*	FDB-1-5	FDB-1-10	FDB-1-15	FDB-1-20	FDB-2-5	FDB-2-10	FDB-2-15	FDB-2-20
1,1-Dichloropropene			<1.9	<1.9	<1.9	<2.3	<1.7	<2.3	<3.3	<1.8
cis-1,3-Dichloropropene	780	18,000	<0.96	<0.96	<0.95	<1.1	<0.83	<1.1	<1.7	<0.90
trans-1,3-Dichloropropene			<1.9	<1.9	<1.9	<2.3	<1.7	<2.3	<3.3	<1.8
Ethylbenzene	400,000	400,000	<0.96	<0.96	<0.95	<1.1	<0.83	<1.1	<1.7	<0.90
2-Hexanone			<19	<19	<19	<21	<17	<23	<33	<18
Isopropylbenzene			<0.96	<0.96	<0.95	<1.1	<0.83	<1.1	<1.7	<0.90
p-Isopropyltoluene			<0.96	<0.96	<0.95	<1.1	<0.83	<1.1	<1.7	<0.90
Methylene chloride	9,100	21,000	<9.6	<9.6	<9.5	<11	<8.3	<11	<17	<9.0
4-Methyl-2-pentanone			<19	<19	<19	<21	<17	<23	<33	<18
Methyl tert-butyl ether (MTBE)	32,000	70,000	<1.9	<1.9	<1.9	<2.3	<1.7	<2.3	<3.3	<1.8
Naphthalene			<9.6	<9.6	<9.5	<11	<8.3	<11	<17	<9.0
n-Propylbenzene			<0.96	<0.96	<0.95	<1.1	<0.83	<1.1	<1.7	<0.90
Styrene	1,700,000	1,700,000	<0.96	<0.96	<0.95	<1.1	<0.83	<1.1	<1.7	<0.90
1,1,1,2-Tetrachloroethane	3,200	7,300	<0.96	<0.96	<0.95	<1.1	<0.83	<1.1	<1.7	<0.90
1,1,2,2-Tetrachloroethane	410	930	<1.9	<1.9	<1.9	<2.3	<1.7	<2.3	<3.3	<1.8
Tetrachloroethene	48,000	1,300	<0.96	<0.96	<0.95	<1.1	<0.83	<1.1	<1.7	<0.90
Toluene	520,000	520,000	<0.96	5.4	2.0	<1.1	<0.83	<1.1	<1.7	<0.90
1,2,3-Trichlorobenzene			<1.9	<1.9	<1.9	<2.3	<1.7	<2.3	<3.3	<1.8
1,2,4-Trichlorobenzene	62,000	220,000	<1.9	<1.9	<1.9	<2.3	<1.7	<2.3	<3.3	<1.8
1,1,1-Trichloroethane	1,200,000	1,200,000	<0.96	<0.96	<0.95	<1.1	<0.83	<1.1	<1.7	<0.90
1,1,2-Trichloroethane	730	1,600	<0.96	<0.96	<0.95	<1.1	<0.83	<1.1	<1.7	<0.90
Trichloroethene	53	110	<1.9	<1.9	<1.9	<2.3	<1.7	<2.3	<3.3	<1.8
Trichlorofluoromethane	390,000	2,000,000	<9.6	<9.6	<9.5	<11	<8.3	<11	<17	<9.0
1,2,3-Trichloropropane	34	76	<1.9	<1.9	<1.9	<2.3	<1.7	<2.3	<3.3	<1.8
1,1,2-Trichloro-1,2,2-trifluoroethane			<9.6	<9.6	<9.5	<11	<8.3	<11	<17	<9.0
1,2,4-Trimethylbenzene	52,000	170,000	<1.9	<1.9	<1.9	<2.3	<1.7	<2.3	<3.3	<1.8
1,3,5-Trimethylbenzene	21,000	70,000	<1.9	<1.9	<1.9	<2.3	<1.7	<2.3	<3.3	<1.8
Vinyl acetate	430,000	1,400,000	<9.6	<9.6	<9.5	<11	<8.3	<11	<17	<9.0
Vinyl chloride	79	750	<0.96	<0.96	<0.95	<1.1	<0.83	<1.1	<1.7	<0.90
m-Xylene & p-Xylene	270,000	420,000	<1.9	<1.9	<1.9	<2.3	<1.7	<2.3	<3.3	<1.8
o-Xylene	270,000	420,000	<0.96	<0.96	<0.95	<1.1	<0.83	<1.1	<1.7	<0.90

* PRG - Preliminary Remediation Goals for Industrial (Ind) and residential (Res) land use promulgated by EPA Region 9 (US EPA, 2004).

Non-detects are presented as less than the reporting limit (<RP).

TABLE 5
February 22, 2007 Rainbow Disposal Company, Inc.
Soil Semi-Volatile Organic Compound Results
by EPA Method 8270C (all units are ug/kg)

COMPOUND	PRG-Ind ¹	PRG-Res ¹	FDB-1-5	FDB-1-10	FDB-1-15	FDB-1-20	FDB-2-5	FDB-2-10	FDB-2-15	FDB-2-20
Acenaphthene	29,000,000	3,700,000	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40
Acenaphthylene			<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40
Aniline	300,000	85,000	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Anthracene	100,000,000	22,000,000	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40
Azobenzene	16,000	4,400	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Benidene	7.5	2.1	<10	<10	<10	<10	<10	<10	<10	<10
Benzo(a)anthracene	2,100	620	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40
Benzo(b)fluoranthene	2,100	620	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40
Benzo(k)fluoranthene	21,000	6,200	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40
Benzoic acid	150,000,000	150,000,000	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
Benzo (g,h,i) perylene	190,000	56,000	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40
Benzo(a)pyrene	210	62	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35
Benzyl alcohol	100,000,000	18,000,000	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
bis(2-Chloroethoxy) methane			<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
bis(2-Chloroethyl) ether	580	220	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
bis(2-Chloroisopropyl) ether	7.4	2.9	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
bis(2-Ethylhexyl) phthalate	120,000	35,000	<0.50	<0.50	<0.50	<0.50	3.5	<0.50	<0.50	<0.50
4-Bromophenyl-phenyl ether			<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Butyl benzyl phthalate	100,000,000	12,000,000	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
4-Chloroaniline	2,500,000	240,000	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
4-Chloro-3-methylphenol			<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
2-Chloronaphthalene	23,000,000	4,900,000	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
2-Chlorophenol	240,000	63,000	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
4-Chlorophenyl-phenyl ether			<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Chrysene	210,000	62,000	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40
Dibenz (a,h) anthracene	210	62	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40
Dibenzofuran	1,600,000	150,000	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichlorobenzene	600,000	600,000	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
1,3-Dichlorobenzene	600,000	530,000	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
1,4-Dichlorobenzene	7,900	3,400	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
3,3-Dichlorobenzidine	3,800	1,100	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
2,4-Dichlorophenol	1,800,000	180,000	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Diethyl phthalate	100,000,000	49,000,000	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
2,4-Dimethylphenol	12,000,000	1,200,000	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Dimethyl phthalate	100,000,000	100,000,000	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Di-n-butyl phthalate			<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50

1 PRG - Preliminary Remediation Goals for Industrial (Ind) or Residential (Res) land use promulgated by EPA Region 9 (USEPA, 2004).

Non-detect values are presented as < the reporting limit.

TABLE 5
February 22, 2007 Rainbow Disposal Company, Inc.
Soil Semi-Volatile Organic Compound Results
by EPA Method 8270C (all units are ug/kg)

COMPOUND	PRG-Ind ¹	PRG-Res ¹	FDB-1-5	FDB-1-10	FDB-1-15	FDB-1-20	FDB-2-5	FDB-2-10	FDB-2-15	FDB-2-20
4,6-Dinitro-2-methylphenol			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
2,4-Dinitrophenol	1,200,000	120,000	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
2,4-Dinitrotoluene	1,200,000	120,000	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
2,6-Dinitrotoluene	620,000	61,000	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Di-n-octyl phthalate	25,000,000	2,400,000	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Fluoranthene	22,000,000	2,300,000	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40
Fluorene	26,000,000	2,700,000	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40
Hexachlorobenzene	1,100	300	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Hexachloro-1,3-butadiene	22,000	6,200	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Hexachlorocyclopentadiene	3,700,000	370,000	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5
Hexachloroethane	120,000	35,000	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Indeno(1,2,3-c,d) pyrene	2,100	620	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40
Isophorone	510,000	510,000	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
1-Methylnaphthalene			<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40
2-Methylnaphthalene			<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40
2-Methylphenol	31,000,000	3,100,000	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
3/4-Methylphenol	3,100,000	310,000	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Naphthalene	190,000	56,000	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40
2-Nitroaniline	1,800,000	180,000	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
3-Nitroaniline	82,000	18,000	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
4-Nitroaniline	82,000	23,000	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Nitrobenzene	100,000	20,000	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
2-Nitrophenol			<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
4-Nitrophenol			<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
N-Nitrosodimethylamine	34	9.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
N-Nitrosodiphenylamine	350,000	99,000	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
N-Nitroso-di-n-propylamine	250	69	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Pentachlorophenol	9,000	3,000	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
Phenanthrene			<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40
Phenol	100,000,000	18,000,000	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Pyrene			<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40
Pyridine	620,000	61,000	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
1,2,4-Trichlorobenzene	220,000	62,000	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
2,4,5-Trichlorophenol	62,000,000	6,100,000	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
2,4,6-Trichlorophenol	62,000	6,100	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50

1 PRG - Preliminary Remediation Goals for Industrial (Ind) or Residential (Res) land use promulgated by EPA Region 9 (USEPA, 2004).

Non-detect values are presented as < the reporting limit.

APPENDIX A

BORING/MONITORING WELL:

SB-9

Page 1

LOGGED BY: Margaret Patrick / Laura Skow

CHECKED BY: John McNamara

DATE STARTED: 6/16/04

DATE FINISHED: 6/16/04

DRILLING COMPANY: EST

DRILLING FOREMAN: Marty

BORING NO: SB-9

PROJECT NAME: Rainbow Disposal Phase II

PROJECT NO: 281B

SITE LOCATION: 17121 Nichols St.

Huntington Beach CA

SITE ELEVATION:

Depth	Sample Number	Blow Count	OVM (ppm)	Well Details	Soil Class (USCS)	Description
0						~8" concrete
3:39			0.1		CL	V. dark brown CLAY, plastic, moist, firm diesel odor.
5	SB-9-5					
13:45			0.8		SM	~9' med yellowish brown SAND with SILT, fine grained, poorly graded, se. diesel odor
10	SB-9-10					
13:50			5.8		CL	~13' med yellowish brown CLAY, se plastic, dense, damp
15	SB-10-10					
20						Notes:
						Total depth 15'
						No ground water encountered
25						backfilled bore with cement grout
30						
35						
40						
45						
50						

Environ Strategy Consultants

BORING/MONITORING WELL:

SB-10

Page 1

LOGGED BY: Margaret Patrick / Laura Skow

CHECKED BY: John McNamara

DATE STARTED: 6/16/04

DATE FINISHED: 6/16/04

DRILLING COMPANY: EST

DRILLING FOREMAN: Marty

BORING NO: SB-10

PROJECT NAME: Rainbow Disposal phase II

PROJECT NO: 281B

SITE LOCATION: 17121 Nichols St.

Huntington Beach CA

SITE ELEVATION:

Depth	Sample Number	Blow Count	OVM (ppm)	Well Details	Soil Class (USCS)	Description
0						28" concrete with slurry base
14:30	SB-10-5		0.1		CL	dark gray CLAY with SAND, plastic, damp. SE diesel odor, sand-med coarse grained, firm
14:38	SB-10-10		0.1		ML	dark gray SILT with SAND, plastic, damp. SE diesel odor.
14:43	SB-10-15		0.1		ML	med yellowish brown SILT with GRAVEL, dense, sl. plastic.
20						Notes:
25						Total depth 15'
						No Groundwater Encountered
30						back filled boring with cement grout
35						
40						
45						
50						

Environ Strategy Consultants

BORING/MONITORING WELL: SB-11

Page 1

LOGGED BY: Margaret Patrick / Laura Skow

CHECKED BY: John McNamara

DATE STARTED: 6/16/04

DATE FINISHED: 6/16/04

DRILLING COMPANY: EST

DRILLING FOREMAN: Marty

BORING NO: SB-11

PROJECT NAME: Rainbow Disposal Phase II

PROJECT NO: 281B

SITE LOCATION: 17121 Nichols St.
Huntington Beach CA

SITE ELEVATION:

Depth	Sample Number	Blow Count	OVM (ppm)	Well Details	Soil Class (USCS)	Description
0	14:58					~ 8" cement above slurry.
5	SB-11-5		0.1		CL	dark gray CLAY, moist, plastic, firm trace sand, sl diesel odor
10	SB-11-10		0.1		CL	dark gray CLAY with SILT, plastic, firm, trace sand, sl diesel odor, damp
15	SB-11-15		0.1		SM	Med. yellowish brown SAND, med grained, poorly graded, loose, damp
20						Notes:
25						Total depth 15'
30						No ground water encountered
35						back filled boring with cement grout.
40						
45						
50						

Environ Strategy Consultants


BORING/MONITORING WELL: SB-12

Page 1

LOGGED BY: Margaret Patrick / Laura Skow	BORING NO: SB-12-1
CHECKED BY: John McNamara	PROJECT NAME: Rainbow Disposal phase II
DATE STARTED: 6/17/04	PROJECT NO: 281B
DATE FINISHED: 6/17/04	SITE LOCATION: 17121 Nichols St.
DRILLING COMPANY: EST	Huntingto Beach CA
DRILLING FOREMAN: party	SITE ELEVATION:

[illegible]

Environ Strategy Consultants



Jones Environmental, Inc.

Testing Laboratories

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685

JONES ENVIRONMENTAL

LABORATORY REPORT

Client: Environ Strategy Consultants, Inc.
Client Address: 30 Hughes, Suite 209
Irvine, CA 92618

Report Date: 06/18/04
JEL Ref. No.: ST-1378
Client Ref. No.: 281B

Attn: John Mc Namara
Project: Rainbow Disposal
Project Address: 17121 Nichols St., Huntington Beach, CA


Date Sampled: 06/16/04
Date Received: 06/16/04
Date Analyzed: 06/16/04-06/18/04
Physical State: Soil

ANALYSES REQUESTED

1. EPA 5035B/8260B- Volatile Organics Compounds by GC/MS
2. Mod 8015 Gasoline - Volatile Hydrocarbons
3. Mod 8015 Diesel - Semi-Volatile Hydrocarbons

Approval:

Steve Jones, Ph.D.
Laboratory Manager



Jones Environmental, Inc.

Testing Laboratories

JONES ENVIRONMENTAL

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685

LABORATORY RESULTS

Client: Environ Strategy Consultants, Inc.
Client Address: 30 Hughes, Suite 209
Irvine, CA 92618

Report Date: 06/18/04
JEL Ref. No.: ST-1378
Client Ref. No.: 281B

Attn: John Mc Namara

Date Sampled: 06/16/04
Date Received: 06/16/04


Project: Rainbow Disposal
Project Address: 17121 Nichols St., Huntington Beach, CA

Date Analyzed: 06/16/04-06/17/04
Physical State: Soil

EPA 5035B/8260B- Volatile Organics by GC/MS

<u>Sample ID:</u>	<u>SB-9-5'</u>	<u>SB-9-10'</u>	<u>SB-9-15'</u>	<u>SB-10-5'</u>	<u>SB-10-10'</u>	<u>Practical Quantitation Limits</u>	<u>Units</u>
Analytes:							
Benzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromochloromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromodichloromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromoform	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromomethane	ND	ND	ND	ND	ND	1.0	ug/Kg
n-Butylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
sec-Butylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
tert-Butylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Carbon tetrachloride	ND	ND	ND	ND	ND	1.0	ug/Kg
Chlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Chloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Chloroform	ND	ND	ND	ND	ND	1.0	ug/Kg
Chloromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
2-Chlorotoluene	ND	ND	ND	ND	ND	1.0	ug/Kg
4-Chlorotoluene	ND	ND	ND	ND	ND	1.0	ug/Kg
Dibromochloromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dibromo-3-chloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dibromoethane (EDB)	ND	ND	ND	ND	ND	1.0	ug/Kg
Dibromomethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,3-Dichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,4-Dichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Dichlorodifluoromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1-Dichloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dichloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1-Dichloroethene	ND	ND	ND	ND	ND	1.0	ug/Kg

ND = Not Detected



Jones Environmental, Inc.

Testing Laboratories

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685

JONES ENVIRONMENTAL

LABORATORY RESULTS

Client: Environ Strategy Consultants, Inc.
Client Address: 30 Hughes, Suite 209
Irvine, CA 92618

Report Date: 06/18/04
JEL Ref. No.: ST-1378
Client Ref. No.: 281B


Attn: John Mc Namara
Project: Rainbow Disposal
Project Address: 17121 Nichols St., Huntington Beach, CA

Date Sampled: 06/16/04
Date Received: 06/16/04
Date Analyzed: 06/16/04-06/17/04
Physical State: Soil

EPA 5035B/8260B- Volatile Organics by GC/MS

<u>Sample ID:</u>	<u>SB-9-5'</u>	<u>SB-9-10'</u>	<u>SB-9-15'</u>	<u>SB-10-5'</u>	<u>SB-10-10'</u>	<u>Practical Quantitation Limits</u>	<u>Units</u>
Analytes:							
cis-1,2-Dichloroethene	ND	ND	ND	ND	ND	1.0	ug/Kg
trans-1,2-Dichloroethene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dichloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,3-Dichloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
2,2-Dichloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1-Dichloropropene	ND	ND	ND	ND	ND	1.0	ug/Kg
cis-1,3-Dichloropropene	ND	ND	ND	ND	ND	1.0	ug/Kg
trans-1,3-Dichloropropene	ND	ND	ND	ND	ND	1.0	ug/Kg
Ethylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Freon 113	ND	ND	ND	ND	ND	1.0	ug/Kg
Hexachlorobutadiene	ND	ND	ND	ND	ND	1.0	ug/Kg
Isopropylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
4-Isopropyltoluene	ND	ND	ND	ND	ND	1.0	ug/Kg
Methylene chloride	ND	ND	ND	ND	ND	1.0	ug/Kg
Naphthalene	ND	ND	ND	ND	ND	1.0	ug/Kg
n-Propylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Styrene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1,1,2-Tetrachloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1,2,2-Tetrachloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Tetrachloroethylene	ND	ND	ND	ND	ND	1.0	ug/Kg
Toluene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2,3-Trichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2,4-Trichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1,1-Trichloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1,2-Trichloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Trichloroethylene	ND	ND	ND	ND	ND	1.0	ug/Kg

ND = Not Detected



Jones Environmental, Inc.

Testing Laboratories

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685

JONES ENVIRONMENTAL


LABORATORY RESULTS

Client:	Environ Strategy Consultants, Inc.	Report Date:	06/18/04
Client Address:	30 Hughes, Suite 209 Irvine, CA 92618	JEL Ref. No.:	ST-1378
		Client Ref. No.:	281B
Attn:	John Mc Namara	Date Sampled:	06/16/04
		Date Received:	06/16/04
Project:	Rainbow Disposal	Date Analyzed:	06/16/04-06/17/04
Project Address:	17121 Nichols St., Huntington Beach, CA	Physical State:	Soil

EPA 5035B/8260B- Volatile Organics by GC/MS

<u>Sample ID:</u>	<u>SB-9-5'</u>	<u>SB-9-10'</u>	<u>SB-9-15'</u>	<u>SB-10-5'</u>	<u>SB-10-10'</u>	<u>Practical Quantitation Limits</u>	<u>Units</u>
Analytes:							
Trichlorofluoromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2,3-Trichloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2,4-Trimethylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,3,5-Trimethylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Vinyl chloride	ND	ND	ND	ND	ND	1.0	ug/Kg
Xylenes	ND	ND	ND	ND	ND	1.0	ug/Kg
MTBE	ND	ND	ND	ND	ND	1.0	ug/Kg
Ethyl-tert-butylether	ND	ND	ND	ND	ND	1.0	ug/Kg
Di-isopropylether	ND	ND	ND	ND	ND	1.0	ug/Kg
tert-amylmethylether	ND	ND	ND	ND	ND	1.0	ug/Kg
tert-Butylalcohol	ND	ND	ND	ND	ND	5.0	ug/Kg
<u>Dilution Factor</u>	1	1	1	1	1		
<u>Surrogate Recovery :</u>						<u>QC Limits</u>	
Dibromofluoromethane	97%	98%	106%	102%	100%	60 - 140	
Toluene-d ₈	99%	118%	123%	98%	101%	60 - 140	
4-Bromofluorobenzene	95%	98%	89%	98%	95%	60 - 140	

ND = Not Detected



Jones Environmental, Inc.

Testing Laboratories

JONES ENVIRONMENTAL

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685

LABORATORY RESULTS

Client: Environ Strategy Consultants, Inc.
Client Address: 30 Hughes, Suite 209
Irvine, CA 92618

Report Date: 06/18/04
JEL Ref. No.: ST-1378
Client Ref. No.: 281B


Attn: John Mc Namara
Project: Rainbow Disposal
Project Address: 17121 Nichols St., Huntington Beach, CA

Date Sampled: 06/16/04
Date Received: 06/16/04
Date Analyzed: 06/16/04-06/17/04
Physical State: Soil

EPA 5035B/8260B- Volatile Organics by GC/MS

<u>Sample ID:</u>	<u>SB-10-15'</u>	<u>SB-11-5'</u>	<u>SB-11-10'</u>	<u>SB-11-15'</u>	<u>SB-14-5'</u>	<u>Practical Quantitation Limits</u>	<u>Units</u>
Analytes:							
Benzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromochloromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromodichloromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromoform	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromomethane	ND	ND	ND	ND	ND	1.0	ug/Kg
n-Butylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
sec-Butylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
tert-Butylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Carbon tetrachloride	ND	ND	ND	ND	ND	1.0	ug/Kg
Chlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Chloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Chloroform	ND	ND	ND	ND	ND	1.0	ug/Kg
Chloromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
2-Chlorotoluene	ND	ND	ND	ND	ND	1.0	ug/Kg
4-Chlorotoluene	ND	ND	ND	ND	ND	1.0	ug/Kg
Dibromochloromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dibromo-3-chloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dibromoethane (EDB)	ND	ND	ND	ND	ND	1.0	ug/Kg
Dibromomethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,3-Dichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,4-Dichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Dichlorodifluoromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1-Dichloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dichloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1-Dichloroethene	ND	ND	ND	ND	ND	1.0	ug/Kg

ND = Not Detected



Jones Environmental, Inc.

Testing Laboratories

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685

JONES ENVIRONMENTAL

LABORATORY RESULTS

Client: Environ Strategy Consultants, Inc.
Client Address: 30 Hughes, Suite 209
Irvine, CA 92618

Report Date: 06/18/04
JEL Ref. No.: ST-1378
Client Ref. No.: 281B

Attn: John Mc Namara

Date Sampled: 06/16/04

Project: Rainbow Disposal

Date Received: 06/16/04

Project Address: 17121 Nichols St., Huntington Beach, CA


Date Analyzed: 06/16/04-06/17/04

Physical State: Soil

EPA 5035B/8260B- Volatile Organics by GC/MS

<u>Sample ID:</u>	<u>SB-10-15'</u>	<u>SB-11-5'</u>	<u>SB-11-10'</u>	<u>SB-11-15'</u>	<u>SB-14-5'</u>	<u>Practical Quantitation Limits</u>	<u>Units</u>
Analytes:							
cis-1,2-Dichloroethene	ND	ND	ND	ND	ND	1.0	ug/Kg
trans-1,2-Dichloroethene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dichloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,3-Dichloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
2,2-Dichloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1-Dichloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
cis-1,3-Dichloropropene	ND	ND	ND	ND	ND	1.0	ug/Kg
trans-1,3-Dichloropropene	ND	ND	ND	ND	ND	1.0	ug/Kg
Ethylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Freon 113	ND	ND	ND	ND	ND	1.0	ug/Kg
Hexachlorobutadiene	ND	ND	ND	ND	ND	1.0	ug/Kg
Isopropylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
4-Isopropyltoluene	ND	ND	ND	ND	ND	1.0	ug/Kg
Methylene chloride	ND	ND	ND	ND	ND	1.0	ug/Kg
Naphthalene	ND	ND	ND	ND	ND	1.0	ug/Kg
n-Propylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Styrene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1,1,2-Tetrachloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1,2,2-Tetrachloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Tetrachloroethylene	ND	ND	ND	ND	ND	1.0	ug/Kg
Toluene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2,3-Trichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2,4-Trichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1,1-Trichloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1,2-Trichloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Trichloroethylene	ND	ND	ND	ND	ND	1.0	ug/Kg

ND = Not Detected



Jones Environmental, Inc.

Testing Laboratories

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685

JONES ENVIRONMENTAL

LABORATORY RESULTS

Client: Environ Strategy Consultants, Inc.
Client Address: 30 Hughes, Suite 209
Irvine, CA 92618

Report Date: 06/18/04
JEL Ref. No.: ST-1378
Client Ref. No.: 281B

Attn: John Mc Namara
Project: Rainbow Disposal
Project Address: 17121 Nichols St., Huntington Beach, CA


Date Sampled: 06/16/04
Date Received: 06/16/04
Date Analyzed: 06/16/04-06/17/04
Physical State: Soil

EPA 5035B/8260B- Volatile Organics by GC/MS

<u>Sample ID:</u>	<u>SB-10-15'</u>	<u>SB-11-5'</u>	<u>SB-11-10'</u>	<u>SB-11-15'</u>	<u>SB-14-5'</u>	<u>Practical Quantitation Limits</u>	<u>Units</u>
Analytes:							
Trichlorofluoromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2,3-Trichloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2,4-Trimethylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,3,5-Trimethylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Vinyl chloride	ND	ND	ND	ND	ND	1.0	ug/Kg
Xylenes	ND	ND	ND	ND	ND	1.0	ug/Kg
MTBE	ND	ND	ND	ND	7.5	1.0	ug/Kg
Ethyl-tert-butylether	ND	ND	ND	ND	ND	1.0	ug/Kg
Di-isopropylether	ND	ND	ND	ND	ND	1.0	ug/Kg
tert-amylmethylether	ND	ND	ND	ND	ND	1.0	ug/Kg
tert-Butylalcohol	ND	ND	ND	ND	ND	5.0	ug/Kg
<u>Dilution Factor</u>	1	1	1	1	1		

<u>Surrogate Recovery :</u>						<u>QC Limits</u>
Dibromofluoromethane	102%	98%	98%	93%	106%	60 - 140
Toluene-d ₈	124%	81%	105%	91%	93%	60 - 140
4-Bromofluorobenzene	111%	107%	104%	102%	98%	60 - 140

ND = Not Detected



Jones Environmental, Inc.

Testing Laboratories

JONES ENVIRONMENTAL

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685

LABORATORY RESULTS

Client: Environ Strategy Consultants, Inc.
Client Address: 30 Hughes, Suite 209
Irvine, CA 92618

Report Date: 06/18/04
JEL Ref. No.: ST-1378
Client Ref. No.: 281B

Attn: John Mc Namara

Date Sampled: 06/16/04
Date Received: 06/16/04


Project: Rainbow Disposal
Project Address: 17121 Nichols St., Huntington Beach, CA

Date Analyzed: 06/16/04-06/17/04
Physical State: Soil

EPA 5035B/8260B- Volatile Organics by GC/MS

<u>Sample ID:</u>	<u>SB-14-10'</u>	<u>SB-14-15'</u>	<u>SB-19-5'</u>	<u>SB-19-10'</u>	<u>SB-19-15'</u>	<u>Practical Quantitation Limits</u>	<u>Units</u>
Analytes:							
Benzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromochloromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromodichloromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromoform	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromomethane	ND	ND	ND	ND	ND	1.0	ug/Kg
n-Butylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
sec-Butylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
tert-Butylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Carbon tetrachloride	ND	ND	ND	ND	ND	1.0	ug/Kg
Chlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Chloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Chloroform	ND	ND	ND	ND	ND	1.0	ug/Kg
Chloromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
2-Chlorotoluene	ND	ND	ND	ND	ND	1.0	ug/Kg
4-Chlorotoluene	ND	ND	ND	ND	ND	1.0	ug/Kg
Dibromochloromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dibromo-3-chloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dibromoethane (EDB)	ND	ND	ND	ND	ND	1.0	ug/Kg
Dibromomethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,3-Dichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,4-Dichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Dichlorodifluoromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1-Dichloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dichloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1-Dichloroethene	ND	ND	ND	ND	ND	1.0	ug/Kg

ND = Not Detected



Jones Environmental, Inc.

Testing Laboratories

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685

JONES ENVIRONMENTAL

LABORATORY RESULTS

Client: Environ Strategy Consultants, Inc.
Client Address: 30 Hughes, Suite 209
Irvine, CA 92618

Report Date: 06/18/04
JEL Ref. No.: ST-1378
Client Ref. No.: 281B


Attn: John Mc Namara
Project: Rainbow Disposal
Project Address: 17121 Nichols St., Huntington Beach, CA

Date Sampled: 06/16/04
Date Received: 06/16/04
Date Analyzed: 06/16/04-06/17/04
Physical State: Soil

EPA 5035B/8260B- Volatile Organics by GC/MS

<u>Sample ID:</u>	<u>SB-14-10'</u>	<u>SB-14-15'</u>	<u>SB-19-5'</u>	<u>SB-19-10'</u>	<u>SB-19-15'</u>	<u>Practical Quantitation Limits</u>	<u>Units</u>
Analytes:							
cis-1,2-Dichloroethene	ND	ND	ND	ND	ND	1.0	ug/Kg
trans-1,2-Dichloroethene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dichloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,3-Dichloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
2,2-Dichloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1-Dichloropropene	ND	ND	ND	ND	ND	1.0	ug/Kg
cis-1,3-Dichloropropene	ND	ND	ND	ND	ND	1.0	ug/Kg
trans-1,3-Dichloropropene	ND	ND	ND	ND	ND	1.0	ug/Kg
Ethylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Freon 113	ND	ND	ND	ND	ND	1.0	ug/Kg
Hexachlorobutadiene	ND	ND	ND	ND	ND	1.0	ug/Kg
Isopropylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
4-Isopropyltoluene	ND	ND	ND	ND	ND	1.0	ug/Kg
Methylene chloride	ND	ND	ND	ND	ND	1.0	ug/Kg
Naphthalene	ND	ND	ND	ND	ND	1.0	ug/Kg
n-Propylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Styrene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1,1,2-Tetrachloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1,2,2-Tetrachloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Tetrachloroethylene	ND	ND	ND	ND	ND	1.0	ug/Kg
Toluene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2,3-Trichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2,4-Trichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1,1-Trichloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1,2-Trichloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Trichloroethylene	ND	ND	ND	ND	ND	1.0	ug/Kg

ND = Not Detected



Jones Environmental, Inc.

Testing Laboratories

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685

JONES ENVIRONMENTAL

LABORATORY RESULTS

Client: Environ Strategy Consultants, Inc.
Client Address: 30 Hughes, Suite 209
Irvine, CA 92618

Report Date: 06/18/04
JEL Ref. No.: ST-1378
Client Ref. No.: 281B


Attn: John Mc Namara
Project: Rainbow Disposal
Project Address: 17121 Nichols St., Huntington Beach, CA

Date Sampled: 06/16/04
Date Received: 06/16/04
Date Analyzed: 06/16/04-06/17/04
Physical State: Soil

EPA 5035B/8260B- Volatile Organics by GC/MS

<u>Sample ID:</u>	<u>SB-14-10'</u>	<u>SB-14-15'</u>	<u>SB-19-5'</u>	<u>SB-19-10'</u>	<u>SB-19-15'</u>	<u>Practical Quantitation Limits</u>	<u>Units</u>
Analytes:							
Trichlorofluoromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2,3-Trichloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2,4-Trimethylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,3,5-Trimethylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Vinyl chloride	ND	ND	ND	ND	ND	1.0	ug/Kg
Xylenes	ND	ND	ND	ND	ND	1.0	ug/Kg
MTBE	ND	ND	ND	ND	ND	1.0	ug/Kg
Ethyl-tert-butylether	ND	ND	ND	ND	ND	1.0	ug/Kg
Di-isopropylether	ND	ND	ND	ND	ND	1.0	ug/Kg
tert-amylmethylether	ND	ND	ND	ND	ND	1.0	ug/Kg
tert-Butylalcohol	ND	ND	ND	ND	ND	5.0	ug/Kg
<u>Dilution Factor</u>	1	1	1	1	1		
<u>Surrogate Recovery :</u>						<u>QC Limits</u>	
Dibromofluoromethane	130%	99%	99%	105%	97%	60 - 140	
Toluene-d ₈	89%	100%	126%	103%	111%	60 - 140	
4-Bromofluorobenzene	72%	103%	97%	104%	98%	60 - 140	

ND = Not Detected



Jones Environmental, Inc.

Testing Laboratories

JONES ENVIRONMENTAL

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685

LABORATORY RESULTS

Client: Environ Strategy Consultants, Inc.
Client Address: 30 Hughes, Suite 209
Irvine, CA 92618

Report Date: 06/18/04
JEL Ref. No.: ST-1378
Client Ref. No.: 281B


Attn: John Mc Namara
Project: Rainbow Disposal
Project Address: 17121 Nichols St., Huntington Beach, CA

Date Sampled: 06/16/04
Date Received: 06/16/04
Date Analyzed: 06/16/04-06/17/04
Physical State: Soil

EPA 5035B/8260B- Volatile Organics by GC/MS

<u>Sample ID:</u>	<u>SB-20-5'</u>	<u>SB-20-10'</u>	<u>SB-20-15'</u>	<u>SB-21-5'</u>	<u>SB-21-10'</u>	<u>Practical Quantitation Limits</u>	<u>Units</u>
Analytes:							
Benzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromochloromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromodichloromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromoform	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromomethane	ND	ND	ND	ND	ND	1.0	ug/Kg
n-Butylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
sec-Butylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
tert-Butylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Carbon tetrachloride	ND	ND	ND	ND	ND	1.0	ug/Kg
Chlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Chloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Chloroform	ND	ND	ND	ND	ND	1.0	ug/Kg
Chloromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
2-Chlorotoluene	ND	ND	ND	ND	ND	1.0	ug/Kg
4-Chlorotoluene	ND	ND	ND	ND	ND	1.0	ug/Kg
Dibromochloromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dibromo-3-chloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dibromoethane (EDB)	ND	ND	ND	ND	ND	1.0	ug/Kg
Dibromomethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,3-Dichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,4-Dichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Dichlorodifluoromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1-Dichloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dichloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1-Dichloroethene	ND	ND	ND	ND	ND	1.0	ug/Kg

ND = Not Detected



Jones Environmental, Inc.

Testing Laboratories

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685

JONES ENVIRONMENTAL

LABORATORY RESULTS

Client: Environ Strategy Consultants, Inc.
Client Address: 30 Hughes, Suite 209
Irvine, CA 92618

Report Date: 06/18/04
JEL Ref. No.: ST-1378
Client Ref. No.: 281B


Attn: John Mc Namara
Project: Rainbow Disposal
Project Address: 17121 Nichols St., Huntington Beach, CA

Date Sampled: 06/16/04
Date Received: 06/16/04
Date Analyzed: 06/16/04-06/17/04
Physical State: Soil

EPA 5035B/8260B- Volatile Organics by GC/MS

<u>Sample ID:</u>	<u>SB-20-5'</u>	<u>SB-20-10'</u>	<u>SB-20-15'</u>	<u>SB-21-5'</u>	<u>SB-21-10'</u>	<u>Practical Quantitation Limits</u>	<u>Units</u>
Analytes:							
cis-1,2-Dichloroethene	ND	ND	ND	ND	ND	1.0	ug/Kg
trans-1,2-Dichloroethene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dichloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,3-Dichloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
2,2-Dichloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1-Dichloropropene	ND	ND	ND	ND	ND	1.0	ug/Kg
cis-1,3-Dichloropropene	ND	ND	ND	ND	ND	1.0	ug/Kg
trans-1,3-Dichloropropene	ND	ND	ND	ND	ND	1.0	ug/Kg
Ethylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Freon 113	ND	ND	ND	ND	ND	1.0	ug/Kg
Hexachlorobutadiene	ND	ND	ND	ND	ND	1.0	ug/Kg
Isopropylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
4-Isopropyltoluene	ND	ND	ND	ND	ND	1.0	ug/Kg
Methylene chloride	ND	ND	ND	ND	ND	1.0	ug/Kg
Naphthalene	ND	ND	ND	ND	ND	1.0	ug/Kg
n-Propylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Styrene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1,1,2-Tetrachloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1,2,2-Tetrachloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Tetrachloroethylene	ND	ND	ND	ND	ND	1.0	ug/Kg
Toluene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2,3-Trichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2,4-Trichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1,1-Trichloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1,2-Trichloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Trichloroethylene	ND	ND	ND	ND	ND	1.0	ug/Kg

ND = Not Detected



Jones Environmental, Inc.

Testing Laboratories

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685

JONES ENVIRONMENTAL

LABORATORY RESULTS

Client: Environ Strategy Consultants, Inc.
Client Address: 30 Hughes, Suite 209
Irvine, CA 92618

Report Date: 06/18/04
JEL Ref. No.: ST-1378
Client Ref. No.: 281B


Attn: John Mc Namara
Project: Rainbow Disposal
Project Address: 17121 Nichols St., Huntington Beach, CA

Date Sampled: 06/16/04
Date Received: 06/16/04
Date Analyzed: 06/16/04-06/17/04
Physical State: Soil

EPA 5035B/8260B- Volatile Organics by GC/MS

<u>Sample ID:</u>	<u>SB-20-5'</u>	<u>SB-20-10'</u>	<u>SB-20-15'</u>	<u>SB-21-5'</u>	<u>SB-21-10'</u>	<u>Practical Quantitation Limits</u>	<u>Units</u>
Analytes:							
Trichlorofluoromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2,3-Trichloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2,4-Trimethylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,3,5-Trimethylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Vinyl chloride	ND	ND	ND	ND	ND	1.0	ug/Kg
Xylenes	ND	ND	ND	ND	ND	1.0	ug/Kg
MTBE	ND	ND	ND	ND	ND	1.0	ug/Kg
Ethyl-tert-butylether	ND	ND	ND	ND	ND	1.0	ug/Kg
Di-isopropylether	ND	ND	ND	ND	ND	1.0	ug/Kg
tert-amylmethylether	ND	ND	ND	ND	ND	1.0	ug/Kg
tert-Butylalcohol	ND	ND	ND	ND	ND	5.0	ug/Kg
<u>Dilution Factor</u>	1	1	1	1	1		
<u>Surrogate Recovery :</u>						<u>QC Limits</u>	
Dibromofluoromethane	99%	105%	105%	101%	92%	60 - 140	
Toluene-d ₈	110%	104%	103%	103%	103%	60 - 140	
4-Bromofluorobenzene	101%	106%	110%	108%	108%	60 - 140	

ND = Not Detected



Jones Environmental, Inc.

Testing Laboratories

JONES ENVIRONMENTAL

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685

LABORATORY RESULTS

Client: Environ Strategy Consultants, Inc.
Client Address: 30 Hughes, Suite 209
Irvine, CA 92618

Report Date: 06/18/04
JEL Ref. No.: ST-1378
Client Ref. No.: 281B


Attn: John Mc Namara
Project: Rainbow Disposal
Project Address: 17121 Nichols St., Huntington Beach, CA

Date Sampled: 06/16/04
Date Received: 06/16/04
Date Analyzed: 06/16/04-06/17/04
Physical State: Soil

EPA 5035B/8260B- Volatile Organics by GC/MS

<u>Sample ID:</u>	<u>SB-21-15'</u>	<u>SB-22-5'</u>	<u>SB-22-10'</u>	<u>SB-22-15'</u>	<u>SB-23-5'</u>	<u>Practical Quantitation Limits</u>	<u>Units</u>
Analytes:							
Benzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromochloromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromodichloromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromoform	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromomethane	ND	ND	ND	ND	ND	1.0	ug/Kg
n-Butylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
sec-Butylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
tert-Butylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Carbon tetrachloride	ND	ND	ND	ND	ND	1.0	ug/Kg
Chlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Chloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Chloroform	ND	ND	ND	ND	ND	1.0	ug/Kg
Chloromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
2-Chlorotoluene	ND	ND	ND	ND	ND	1.0	ug/Kg
4-Chlorotoluene	ND	ND	ND	ND	ND	1.0	ug/Kg
Dibromochloromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dibromo-3-chloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dibromoethane (EDB)	ND	ND	ND	ND	ND	1.0	ug/Kg
Dibromomethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,3-Dichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,4-Dichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Dichlorodifluoromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1-Dichloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dichloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1-Dichloroethene	ND	ND	ND	ND	ND	1.0	ug/Kg

ND = Not Detected



Jones Environmental, Inc.

Testing Laboratories

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685

JONES ENVIRONMENTAL

LABORATORY RESULTS

Client: Environ Strategy Consultants, Inc.
Client Address: 30 Hughes, Suite 209
Irvine, CA 92618

Report Date: 06/18/04
JEL Ref. No.: ST-1378
Client Ref. No.: 281B


Attn: John Mc Namara
Project: Rainbow Disposal
Project Address: 17121 Nichols St., Huntington Beach, CA

Date Sampled: 06/16/04
Date Received: 06/16/04
Date Analyzed: 06/16/04-06/17/04
Physical State: Soil

EPA 5035B/8260B- Volatile Organics by GC/MS

<u>Sample ID:</u>	<u>SB-21-15'</u>	<u>SB-22-5'</u>	<u>SB-22-10'</u>	<u>SB-22-15'</u>	<u>SB-23-5'</u>	<u>Practical Quantitation Limits</u>	<u>Units</u>
Analytes:							
cis-1,2-Dichloroethene	ND	ND	ND	ND	ND	1.0	ug/Kg
trans-1,2-Dichloroethene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dichloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,3-Dichloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
2,2-Dichloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1-Dichloropropene	ND	ND	ND	ND	ND	1.0	ug/Kg
cis-1,3-Dichloropropene	ND	ND	ND	ND	ND	1.0	ug/Kg
trans-1,3-Dichloropropene	ND	ND	ND	ND	ND	1.0	ug/Kg
Ethylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Freon 113	ND	ND	ND	ND	ND	1.0	ug/Kg
Hexachlorobutadiene	ND	ND	ND	ND	ND	1.0	ug/Kg
Isopropylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
4-Isopropyltoluene	ND	ND	ND	ND	ND	1.0	ug/Kg
Methylene chloride	ND	ND	ND	ND	ND	1.0	ug/Kg
Naphthalene	ND	ND	ND	ND	ND	1.0	ug/Kg
n-Propylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Styrene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1,1,2-Tetrachloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1,2,2-Tetrachloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Tetrachloroethylene	ND	ND	ND	ND	ND	1.0	ug/Kg
Toluene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2,3-Trichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2,4-Trichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1,1-Trichloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1,2-Trichloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Trichloroethylene	ND	ND	ND	ND	ND	1.0	ug/Kg

ND = Not Detected



Jones Environmental, Inc.

Testing Laboratories

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685

JONES ENVIRONMENTAL

LABORATORY RESULTS

Client:	Environ Strategy Consultants, Inc.	Report Date:	06/18/04
Client Address:	30 Hughes, Suite 209 Irvine, CA 92618	JEL Ref. No.:	ST-1378
		Client Ref. No.:	281B
Attn:	John Mc Namara	Date Sampled:	06/16/04
		Date Received:	06/16/04
Project:	Rainbow Disposal	Date Analyzed:	06/16/04-06/17/04
Project Address:	17121 Nichols St., Huntington Beach, CA	Physical State:	Soil


EPA 5035B/8260B- Volatile Organics by GC/MS

<u>Sample ID:</u>	<u>SB-21-15'</u>	<u>SB-22-5'</u>	<u>SB-22-10'</u>	<u>SB-22-15'</u>	<u>SB-23-5'</u>	<u>Practical Quantitation Limits</u>	<u>Units</u>
Analytes:							
Trichlorofluoromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2,3-Trichloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2,4-Trimethylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,3,5-Trimethylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Vinyl chloride	ND	ND	ND	ND	ND	1.0	ug/Kg
Xylenes	ND	ND	ND	ND	ND	1.0	ug/Kg
MTBE	3.8	ND	ND	ND	ND	1.0	ug/Kg
Ethyl-tert-butylether	ND	ND	ND	ND	ND	1.0	ug/Kg
Di-isopropylether	ND	ND	ND	ND	ND	1.0	ug/Kg
tert-amylmethylether	ND	ND	ND	ND	ND	1.0	ug/Kg
tert-Butylalcohol	ND	ND	ND	ND	ND	5.0	ug/Kg

<u>Dilution Factor</u>	1	1	1	1	1		
-------------------------------	---	---	---	---	---	--	--

<u>Surrogate Recovery :</u>						<u>QC Limits</u>	
Dibromofluoromethane	94%	97%	91%	93%	98%	60 - 140	
Toluene-d ₈	102%	106%	105%	103%	105%	60 - 140	
4-Bromofluorobenzene	96%	103%	103%	113%	108%	60 - 140	

ND = Not Detected



Jones Environmental, Inc.

Testing Laboratories

JONES ENVIRONMENTAL

P.O. Box 5387 • Fullerton, CA 92838

(714) 449-9937 • FAX (714) 449-9685

LABORATORY RESULTS

Client: Environ Strategy Consultants, Inc.
Client Address: 30 Hughes, Suite 209
Irvine, CA 92618

Report Date: 06/18/04
JEL Ref. No.: ST-1378
Client Ref. No.: 281B


Attn: John Mc Namara
Project: Rainbow Disposal
Project Address: 17121 Nichols St., Huntington Beach, CA

Date Sampled: 06/16/04
Date Received: 06/16/04
Date Analyzed: 06/16/04-06/17/04
Physical State: Soil

EPA 5035B/8260B- Volatile Organics by GC/MS

<u>Sample ID:</u>	<u>SB-23-10'</u>	<u>SB-23-15'</u>	<u>SB-24-5'</u>	<u>SB-24-10'</u>	<u>SB-24-15'</u>	<u>Practical Quantitation Limits</u>	<u>Units</u>
Analytes:							
Benzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromochloromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromodichloromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromoform	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromomethane	ND	ND	ND	ND	ND	1.0	ug/Kg
n-Butylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
sec-Butylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
tert-Butylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Carbon tetrachloride	ND	ND	ND	ND	ND	1.0	ug/Kg
Chlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Chloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Chloroform	ND	ND	ND	ND	ND	1.0	ug/Kg
Chloromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
2-Chlorotoluene	ND	ND	ND	ND	ND	1.0	ug/Kg
4-Chlorotoluene	ND	ND	ND	ND	ND	1.0	ug/Kg
Dibromochloromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dibromo-3-chloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dibromoethane (EDB)	ND	ND	ND	ND	ND	1.0	ug/Kg
Dibromomethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,3-Dichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,4-Dichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Dichlorodifluoromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1-Dichloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dichloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1-Dichloroethene	ND	ND	ND	ND	ND	1.0	ug/Kg

ND = Not Detected



Jones Environmental, Inc.

Testing Laboratories

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685

JONES ENVIRONMENTAL

LABORATORY RESULTS

Client: Environ Strategy Consultants, Inc.
Client Address: 30 Hughes, Suite 209
Irvine, CA 92618

Report Date: 06/18/04
JEL Ref. No.: ST-1378
Client Ref. No.: 281B

Attn: John Mc Namara

Date Sampled: 06/16/04

Project: Rainbow Disposal

Date Received: 06/16/04

Project Address: 17121 Nichols St., Huntington Beach, CA


Date Analyzed: 06/16/04-06/17/04

Physical State: Soil

EPA 5035B/8260B- Volatile Organics by GC/MS

<u>Sample ID:</u>	<u>SB-23-10'</u>	<u>SB-23-15'</u>	<u>SB-24-5'</u>	<u>SB-24-10'</u>	<u>SB-24-15'</u>	<u>Practical Quantitation Limits</u>	<u>Units</u>
Analytes:							
cis-1,2-Dichloroethene	ND	ND	ND	ND	ND	1.0	ug/Kg
trans-1,2-Dichloroethene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dichloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,3-Dichloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
2,2-Dichloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1-Dichloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
cis-1,3-Dichloropropene	ND	ND	ND	ND	ND	1.0	ug/Kg
trans-1,3-Dichloropropene	ND	ND	ND	ND	ND	1.0	ug/Kg
Ethylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Freon 113	ND	ND	ND	ND	ND	1.0	ug/Kg
Hexachlorobutadiene	ND	ND	ND	ND	ND	1.0	ug/Kg
Isopropylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
4-Isopropyltoluene	ND	ND	ND	ND	ND	1.0	ug/Kg
Methylene chloride	ND	ND	ND	ND	ND	1.0	ug/Kg
Naphthalene	2.6	66	ND	ND	ND	1.0	ug/Kg
n-Propylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Styrene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1,1,2-Tetrachloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1,2,2-Tetrachloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Tetrachloroethylene	ND	ND	ND	ND	ND	1.0	ug/Kg
Toluene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2,3-Trichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2,4-Trichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1,1-Trichloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1,2-Trichloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Trichloroethylene	ND	ND	ND	ND	ND	1.0	ug/Kg

ND = Not Detected



Jones Environmental, Inc.

Testing Laboratories

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685

JONES ENVIRONMENTAL

LABORATORY RESULTS

Client: Environ Strategy Consultants, Inc.
Client Address: 30 Hughes, Suite 209
Irvine, CA 92618

Report Date: 06/18/04
JEL Ref. No.: ST-1378
Client Ref. No.: 281B


Attn: John Mc Namara
Project: Rainbow Disposal
Project Address: 17121 Nichols St., Huntington Beach, CA

Date Sampled: 06/16/04
Date Received: 06/16/04
Date Analyzed: 06/16/04-06/17/04
Physical State: Soil

EPA 5035B/8260B- Volatile Organics by GC/MS

<u>Sample ID:</u>	<u>SB-23-10'</u>	<u>SB-23-15'</u>	<u>SB-24-5'</u>	<u>SB-24-10'</u>	<u>SB-24-15'</u>	<u>Practical Quantitation Limits</u>	<u>Units</u>
Analytes:							
Trichlorofluoromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2,3-Trichloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2,4-Trimethylbenzene	1.0	6.3	ND	ND	ND	1.0	ug/Kg
1,3,5-Trimethylbenzene	ND	1.8	ND	ND	ND	1.0	ug/Kg
Vinyl chloride	ND	ND	ND	ND	ND	1.0	ug/Kg
Xylenes	ND	ND	ND	ND	ND	1.0	ug/Kg
MTBE	ND	ND	ND	ND	ND	1.0	ug/Kg
Ethyl-tert-butylether	ND	ND	ND	ND	ND	1.0	ug/Kg
Di-isopropylether	ND	ND	ND	ND	ND	1.0	ug/Kg
tert-amylmethylether	ND	ND	ND	ND	ND	1.0	ug/Kg
tert-Butylalcohol	ND	ND	ND	ND	ND	5.0	ug/Kg
<u>Dilution Factor</u>	1	1	1	1	1		
<u>Surrogate Recovery :</u>						<u>QC Limits</u>	
Dibromofluoromethane	96%	111%	97%	99%	102%	60 - 140	
Toluene-d ₈	98%	96%	107%	108%	106%	60 - 140	
4-Bromofluorobenzene	88%	101%	94%	118%	98%	60 - 140	

ND = Not Detected



Jones Environmental, Inc.

Testing Laboratories

JONES ENVIRONMENTAL

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685


LABORATORY RESULTS

Client:	Environ Strategy Consultants, Inc.	Report Date:	06/18/04
Client Address:	30 Hughes, Suite 209 Irvine, CA 92618	JEL Ref. No.:	ST-1378
		Client Ref. No.:	281B
Attn:	John Mc Namara	Date Sampled:	06/16/04
		Date Received:	06/16/04
Project:	Rainbow Disposal	Date Analyzed:	06/16/04-06/17/04
Project Address:	17121 Nichols St., Huntington Beach, CA	Physical State:	Soil

EPA 5035B/8260B- Volatile Organics by GC/MS

<u>Sample ID:</u>	<u>SB-25-5'</u>	<u>SB-25-10'</u>	<u>SB-25-15'</u>	<u>SB-26-5'</u>	<u>SB-26-10'</u>	<u>Practical Quantitation Limits</u>	<u>Units</u>
Analytes:							
Benzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromochloromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromodichloromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromoform	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromomethane	ND	ND	ND	ND	ND	1.0	ug/Kg
n-Butylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
sec-Butylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
tert-Butylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Carbon tetrachloride	ND	ND	ND	ND	ND	1.0	ug/Kg
Chlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Chloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Chloroform	ND	ND	ND	ND	ND	1.0	ug/Kg
Chloromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
2-Chlorotoluene	ND	ND	ND	ND	ND	1.0	ug/Kg
4-Chlorotoluene	ND	ND	ND	ND	ND	1.0	ug/Kg
Dibromochloromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dibromo-3-chloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dibromoethane (EDB)	ND	ND	ND	ND	ND	1.0	ug/Kg
Dibromomethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,3-Dichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,4-Dichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Dichlorodifluoromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1-Dichloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dichloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1-Dichloroethene	ND	ND	ND	ND	ND	1.0	ug/Kg

ND = Not Detected



Jones Environmental, Inc.

Testing Laboratories

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685

JONES ENVIRONMENTAL

LABORATORY RESULTS

Client: Environ Strategy Consultants, Inc.
Client Address: 30 Hughes, Suite 209
Irvine, CA 92618

Report Date: 06/18/04
JEL Ref. No.: ST-1378
Client Ref. No.: 281B


Attn: John Mc Namara
Project: Rainbow Disposal
Project Address: 17121 Nichols St., Huntington Beach, CA

Date Sampled: 06/16/04
Date Received: 06/16/04
Date Analyzed: 06/16/04-06/17/04
Physical State: Soil

EPA 5035B/8260B- Volatile Organics by GC/MS

<u>Sample ID:</u>	<u>SB-25-5'</u>	<u>SB-25-10'</u>	<u>SB-25-15'</u>	<u>SB-26-5'</u>	<u>SB-26-10'</u>	<u>Practical Quantitation Limits</u>	<u>Units</u>
Analytes:							
cis-1,2-Dichloroethene	ND	ND	ND	ND	ND	1.0	ug/Kg
trans-1,2-Dichloroethene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dichloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,3-Dichloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
2,2-Dichloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1-Dichloropropene	ND	ND	ND	ND	ND	1.0	ug/Kg
cis-1,3-Dichloropropene	ND	ND	ND	ND	ND	1.0	ug/Kg
trans-1,3-Dichloropropene	ND	ND	ND	ND	ND	1.0	ug/Kg
Ethylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Freon 113	ND	ND	ND	ND	ND	1.0	ug/Kg
Hexachlorobutadiene	ND	ND	ND	ND	ND	1.0	ug/Kg
Isopropylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
4-Isopropyltoluene	ND	ND	ND	ND	ND	1.0	ug/Kg
Methylene chloride	ND	ND	ND	ND	ND	1.0	ug/Kg
Naphthalene	ND	ND	ND	ND	ND	1.0	ug/Kg
n-Propylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Styrene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1,1,2-Tetrachloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1,2,2-Tetrachloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Tetrachloroethylene	ND	ND	ND	ND	ND	1.0	ug/Kg
Toluene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2,3-Trichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2,4-Trichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1,1-Trichloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1,2-Trichloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Trichloroethylene	ND	ND	ND	ND	ND	1.0	ug/Kg

ND = Not Detected



Jones Environmental, Inc.

Testing Laboratories

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685

JONES ENVIRONMENTAL

LABORATORY RESULTS

Client:	Environ Strategy Consultants, Inc.	Report Date:	06/18/04
Client Address:	30 Hughes, Suite 209 Irvine, CA 92618	JEL Ref. No.:	ST-1378
		Client Ref. No.:	281B
Attn:	John Mc Namara	Date Sampled:	06/16/04
		Date Received:	06/16/04
Project:	Rainbow Disposal	Date Analyzed:	06/16/04-06/17/04
Project Address:	17121 Nichols St., Huntington Beach, CA	Physical State:	Soil


EPA 5035B/8260B- Volatile Organics by GC/MS

<u>Sample ID:</u>	<u>SB-25-5'</u>	<u>SB-25-10'</u>	<u>SB-25-15'</u>	<u>SB-26-5'</u>	<u>SB-26-10'</u>	<u>Practical Quantitation Limits</u>	<u>Units</u>
Analytes:							
Trichlorofluoromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2,3-Trichloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2,4-Trimethylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,3,5-Trimethylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Vinyl chloride	ND	ND	ND	ND	ND	1.0	ug/Kg
Xylenes	ND	ND	ND	ND	ND	1.0	ug/Kg
MTBE	ND	ND	ND	ND	ND	1.0	ug/Kg
Ethyl-tert-butylether	ND	ND	ND	ND	ND	1.0	ug/Kg
Di-isopropylether	ND	ND	ND	ND	ND	1.0	ug/Kg
tert-amylmethylether	ND	ND	ND	ND	ND	1.0	ug/Kg
tert-Butylalcohol	ND	ND	ND	ND	ND	5.0	ug/Kg

<u>Dilution Factor</u>	1	1	1	1	1
-------------------------------	---	---	---	---	---

<u>Surrogate Recovery :</u>						<u>QC Limits</u>
Dibromofluoromethane	107%	96%	97%	93%	84%	60 - 140
Toluene-d ₈	104%	103%	110%	110%	103%	60 - 140
4-Bromofluorobenzene	115%	105%	105%	100%	109%	60 - 140

ND = Not Detected



Jones Environmental, Inc.

Testing Laboratories

JONES ENVIRONMENTAL

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685

LABORATORY RESULTS

Client: Environ Strategy Consultants, Inc.
Client Address: 30 Hughes, Suite 209
Irvine, CA 92618

Report Date: 06/18/04
JEL Ref. No.: ST-1378
Client Ref. No.: 281B


Attn: John Mc Namara
Project: Rainbow Disposal
Project Address: 17121 Nichols St., Huntington Beach, CA

Date Sampled: 06/16/04
Date Received: 06/16/04
Date Analyzed: 06/16/04-06/17/04
Physical State: Soil

EPA 5035B/8260B- Volatile Organics by GC/MS

<u>Sample ID:</u>	<u>SB-26-15'</u>	<u>Practical Quantitation Limits</u>	<u>Units</u>
Analytes:			
Benzene	ND	1.0	ug/Kg
Bromobenzene	ND	1.0	ug/Kg
Bromochloromethane	ND	1.0	ug/Kg
Bromodichloromethane	ND	1.0	ug/Kg
Bromoform	ND	1.0	ug/Kg
Bromomethane	ND	1.0	ug/Kg
n-Butylbenzene	ND	1.0	ug/Kg
sec-Butylbenzene	ND	1.0	ug/Kg
tert-Butylbenzene	ND	1.0	ug/Kg
Carbon tetrachloride	ND	1.0	ug/Kg
Chlorobenzene	ND	1.0	ug/Kg
Chloroethane	ND	1.0	ug/Kg
Chloroform	ND	1.0	ug/Kg
Chloromethane	ND	1.0	ug/Kg
2-Chlorotoluene	ND	1.0	ug/Kg
4-Chlorotoluene	ND	1.0	ug/Kg
Dibromochloromethane	ND	1.0	ug/Kg
1,2-Dibromo-3-chloropropane	ND	1.0	ug/Kg
1,2-Dibromoethane (EDB)	ND	1.0	ug/Kg
Dibromomethane	ND	1.0	ug/Kg
1,2-Dichlorobenzene	ND	1.0	ug/Kg
1,3-Dichlorobenzene	ND	1.0	ug/Kg
1,4-Dichlorobenzene	ND	1.0	ug/Kg
Dichlorodifluoromethane	ND	1.0	ug/Kg
1,1-Dichloroethane	ND	1.0	ug/Kg
1,2-Dichloroethane	ND	1.0	ug/Kg
1,1-Dichloroethene	ND	1.0	ug/Kg

ND = Not Detected



Jones Environmental, Inc.

Testing Laboratories

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685

JONES ENVIRONMENTAL


LABORATORY RESULTS

Client:	Environ Strategy Consultants, Inc.	Report Date:	06/18/04
Client Address:	30 Hughes, Suite 209 Irvine, CA 92618	JEL Ref. No.:	ST-1378
		Client Ref. No.:	281B
Attn:	John Mc Namara	Date Sampled:	06/16/04
		Date Received:	06/16/04
Project:	Rainbow Disposal	Date Analyzed:	06/16/04-06/17/04
Project Address:	17121 Nichols St., Huntington Beach, CA	Physical State:	Soil

EPA 5035B/8260B- Volatile Organics by GC/MS

<u>Sample ID:</u>	<u>SB-26-15'</u>	<u>Practical Quantitation Limits</u>	<u>Units</u>
Analytes:			
cis-1,2-Dichloroethene	ND	1.0	ug/Kg
trans-1,2-Dichloroethene	ND	1.0	ug/Kg
1,2-Dichloropropane	ND	1.0	ug/Kg
1,3-Dichloropropane	ND	1.0	ug/Kg
2,2-Dichloropropane	ND	1.0	ug/Kg
1,1-Dichloropropene	ND	1.0	ug/Kg
cis-1,3-Dichloropropene	ND	1.0	ug/Kg
trans-1,3-Dichloropropene	ND	1.0	ug/Kg
Ethylbenzene	ND	1.0	ug/Kg
Freon 113	ND	1.0	ug/Kg
Hexachlorobutadiene	ND	1.0	ug/Kg
Isopropylbenzene	ND	1.0	ug/Kg
4-Isopropyltoluene	ND	1.0	ug/Kg
Methylene chloride	ND	1.0	ug/Kg
Naphthalene	ND	1.0	ug/Kg
n-Propylbenzene	ND	1.0	ug/Kg
Styrene	ND	1.0	ug/Kg
1,1,1,2-Tetrachloroethane	ND	1.0	ug/Kg
1,1,2,2-Tetrachloroethane	ND	1.0	ug/Kg
Tetrachloroethylene	ND	1.0	ug/Kg
Toluene	ND	1.0	ug/Kg
1,2,3-Trichlorobenzene	ND	1.0	ug/Kg
1,2,4-Trichlorobenzene	ND	1.0	ug/Kg
1,1,1-Trichloroethane	ND	1.0	ug/Kg
1,1,2-Trichloroethane	ND	1.0	ug/Kg
Trichloroethylene	ND	1.0	ug/Kg

ND = Not Detected



Jones Environmental, Inc.

Testing Laboratories

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685

JONES ENVIRONMENTAL

LABORATORY RESULTS

Client:	Environ Strategy Consultants, Inc.	Report Date:	06/18/04
Client Address:	30 Hughes, Suite 209	JEL Ref. No.:	ST-1378
	Irvine, CA 92618	Client Ref. No.:	281B
Attn:	John Mc Namara	Date Sampled:	06/16/04
		Date Received:	06/16/04
Project:	Rainbow Disposal	Date Analyzed:	06/16/04-06/17/04
Project Address:	17121 Nichols St., Huntington Beach, CA	Physical State:	Soil


EPA 5035B/8260B- Volatile Organics by GC/MS

<u>Sample ID:</u>	<u>SB-26-15'</u>	<u>Practical Quantitation Limits</u>	<u>Units</u>
Analytes:			
Trichlorofluoromethane	ND	1.0	ug/Kg
1,2,3-Trichloropropane	ND	1.0	ug/Kg
1,2,4-Trimethylbenzene	ND	1.0	ug/Kg
1,3,5-Trimethylbenzene	ND	1.0	ug/Kg
Vinyl chloride	ND	1.0	ug/Kg
Xylenes	ND	1.0	ug/Kg
MTBE	ND	1.0	ug/Kg
Ethyl-tert-butylether	ND	1.0	ug/Kg
Di-isopropylether	ND	1.0	ug/Kg
tert-amylmethylether	ND	1.0	ug/Kg
tert-Butylalcohol	ND	5.0	ug/Kg

Dilution Factor 1

<u>Surrogate Recovery :</u>		<u>QC Limits</u>
Dibromofluoromethane	101%	60 - 140
Toluene-d ₈	107%	60 - 140
4-Bromofluorobenzene	110%	60 - 140

ND = Not Detected



Jones Environmental, Inc.

Testing Laboratories

JONES ENVIRONMENTAL

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685

QUALITY CONTROL INFORMATION

Client: Environ Strategy Consultants, Inc.
Client Address: 30 Hughes, Suite 209
Irvine, CA 92618

Report Date: 06/18/04
JEL Ref. No.: ST-1378
Client Ref. No.: 281B

Attn: John Mc Namara
Project: Rainbow Disposal
Project Address: 17121 Nichols St., Huntington Beach, CA

Date Sampled: 06/16/04
Date Received: 06/16/04
Date Analyzed: 06/16/04-06/17/04
Physical State: Soil

EPA 5035B/8260B- Volatile Organics by GC/MS

Sample Spiked: SB-14-15'


<u>Parameter</u>	<u>MS Recovery (%)</u>	<u>MSD Recovery (%)</u>	<u>RPD</u>	<u>Acceptability Range (%)</u>
Benzene	88%	97%	10%	60 - 140
Chlorobenzene	89%	102%	13%	60 - 140
Toluene	94%	85%	11%	60 - 140
Trichloroethylene	105%	92%	14%	60 - 140
1,1-Dichloroethylene	108%	96%	12%	60 - 140

Sample Spiked: SB-22-15'

<u>Parameter</u>	<u>MS Recovery (%)</u>	<u>MSD Recovery (%)</u>	<u>RPD</u>	<u>Acceptability Range (%)</u>
Benzene	102%	99%	3.0%	60 - 140
Chlorobenzene	103%	97%	6.0%	60 - 140
Toluene	95%	95%	1.0%	60 - 140
Trichloroethylene	93%	90%	3.0%	60 - 140
1,1-Dichloroethylene	105%	93%	12%	60 - 140

Method Blank = Not Detected

MS = Matrix Spike
MSD = Matrix Spike Duplicate
RPD = Relative Percent Difference



Jones Environmental, Inc.

Testing Laboratories

JONES ENVIRONMENTAL

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685


LABORATORY RESULTS

Client:	Environ Strategy Consultants, Inc.	Report Date:	06/18/04
Client Address:	30 Hughes, Suite 209 Irvine, CA 92618	JEL Ref. No.:	ST-1378
		Client Ref. No.:	281B
Attn:	John Mc Namara	Date Sampled:	06/16/04
		Date Received:	06/16/04
Project:	Rainbow Disposal	Date Analyzed:	06/16/04-06/17/04
Project Address:	17121 Nichols St., Huntington Beach, CA	Physical State:	Soil

Modified EPA 8015 - Volatile Hydrocarbons (Gasoline)

<u>Sample ID</u>	<u>Concentration (mg/Kg)</u>	<u>Surrogate Recovery %</u>	<u>Dilution Factor</u>	<u>Practical Quantitation Limits (mg/Kg)</u>
SB-9-5'	ND	95%	1	0.5
SB-9-10'	ND	98%	1	0.5
SB-9-15'	ND	89%	1	0.5
SB-10-5'	ND	98%	1	0.5
SB-10-10'	ND	95%	1	0.5
SB-10-15'	ND	111%	1	0.5
SB-11-5'	ND	107%	1	0.5
SB-11-10'	ND	104%	1	0.5
SB-11-15'	ND	102%	1	0.5
SB-14-5'	ND	98%	1	0.5
SB-14-10'	ND	72%	1	0.5
SB-14-15'	ND	103%	1	0.5
SB-19-5'	ND	97%	1	0.5
SB-19-10'	ND	104%	1	0.5
SB-19-15'	ND	98%	1	0.5
SB-20-5'	ND	101%	1	0.5
SB-20-10'	ND	106%	1	0.5
SB-20-15'	ND	110%	1	0.5

ND = Not Detected



Jones Environmental, Inc.

Testing Laboratories

JONES ENVIRONMENTAL

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685

LABORATORY RESULTS

Client: Environ Strategy Consultants, Inc.
Client Address: 30 Hughes, Suite 209
Irvine, CA 92618

Report Date: 06/18/04
JEL Ref. No.: ST-1378
Client Ref. No.: 281B


Attn: John Mc Namara
Project: Rainbow Disposal
Project Address: 17121 Nichols St., Huntington Beach, CA

Date Sampled: 06/16/04
Date Received: 06/16/04
Date Analyzed: 06/16/04-06/17/04
Physical State: Soil

Modified EPA 8015 - Volatile Hydrocarbons (Gasoline)

<u>Sample ID</u>	<u>Concentration</u> <u>(mg/Kg)</u>	<u>Surrogate</u> <u>Recovery %</u>	<u>Dilution</u> <u>Factor</u>	<u>Practical</u> <u>Quantitation</u> <u>Limits</u> <u>(mg/Kg)</u>
SB-21-5'	ND	108%	1	0.5
SB-21-10'	ND	108%	1	0.5
SB-21-15'	ND	96%	1	0.5
SB-22-5'	ND	103%	1	0.5
SB-22-10'	ND	103%	1	0.5
SB-22-15'	ND	113%	1	0.5
SB-23-5'	ND	108%	1	0.5
SB-23-10'	ND	88%	1	0.5
SB-23-15'	ND	101%	1	0.5
SB-24-5'	ND	94%	1	0.5
SB-24-10'	ND	118%	1	0.5
SB-24-15'	ND	98%	1	0.5
SB-25-5'	ND	115%	1	0.5
SB-25-10'	ND	105%	1	0.5
SB-25-15'	ND	105%	1	0.5
SB-26-5'	ND	100%	1	0.5
SB-26-10'	ND	109%	1	0.5
SB-26-15'	ND	110%	1	0.5

ND = Not Detected



Jones Environmental, Inc.

Testing Laboratories

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685

JONES ENVIRONMENTAL

QUALITY CONTROL INFORMATION

Client: Environ Strategy Consultants, Inc.
Client Address: 30 Hughes, Suite 209
Irvine, CA 92618

Report Date: 06/18/04
JEL Ref. No.: ST-1378
Client Ref. No.: 281B

Attn: John Mc Namara
Project: Rainbow Disposal
Project Address: 17121 Nichols St., Huntington Beach, CA

Date Sampled: 06/16/04
Date Received: 06/16/04
Date Analyzed: 06/16/04-06/17/04
Physical State: Soil

Modified EPA 8015 - Volatile Hydrocarbons (Gasoline)

Sample Spiked: SB-14-15'


<u>Parameter</u>	<u>MS Recovery (%)</u>	<u>MSD Recovery (%)</u>	<u>RPD</u>	<u>Acceptability Range (%)</u>
Gasoline	97%	94%	2.8%	65 - 125

Sample Spiked: SB-22-15'

<u>Parameter</u>	<u>MS Recovery (%)</u>	<u>MSD Recovery (%)</u>	<u>RPD</u>	<u>Acceptability Range (%)</u>
Gasoline	100%	97%	3.1%	65 - 125

Method Blank = Not Detected

MS = Matrix Spike
MSD = Matrix Spike Duplicate
RPD = Relative Percent Difference



Jones Environmental, Inc.

Testing Laboratories

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685

JONES ENVIRONMENTAL


LABORATORY RESULTS

Client:	Environ Strategy Consultants, Inc.	Report Date:	06/18/04
Client Address:	30 Hughes, Suite 209	JEL Ref. No.:	ST-1378
	Irvine, CA 92618	Client Ref. No.:	281B
Attn:	John Mc Namara	Date Sampled:	06/16/04
		Date Received:	06/16/04
Project:	Rainbow Disposal	Date Analyzed:	06/17/04-06/18/04
Project Address:	17121 Nichols St., Huntington Beach, CA	Physical State:	Soil

Modified EPA 8015 - Semi-Volatile Hydrocarbons (Diesel)

<u>Sample ID</u>	<u>Concentration</u> (mg/Kg)	<u>Surrogate</u> <u>Recovery %</u>	<u>Dilution</u> <u>Factor</u>	<u>Practical</u> <u>Quantitation</u> <u>Limits</u> (mg/Kg)
SB-9-5'	ND	108%	1	10
SB-9-10'	ND	106%	1	10
SB-9-15'	ND	94%	1	10
SB-10-5'	ND	109%	1	10
SB-10-10'	ND	89%	1	10
SB-10-15'	ND	97%	1	10
SB-11-5'	ND	86%	1	10
SB-11-10'	ND	100%	1	10
SB-11-15'	ND	113%	1	10
SB-14-5'	35	--	1	10
SB-14-10'	520	--	1	10
SB-14-15'	ND	125%	1	10
SB-19-5'	ND	110%	1	10
SB-19-10'	ND	121%	1	10
SB-19-15'	ND	98%	1	10
SB-20-5'	ND	93%	1	10
SB-20-10'	ND	92%	1	10
SB-20-15'	ND	94%	1	10

ND = Not Detected



Jones Environmental, Inc.

Testing Laboratories

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685

JONES ENVIRONMENTAL

LABORATORY RESULTS

Client: Environ Strategy Consultants, Inc.
Client Address: 30 Hughes, Suite 209
Irvine, CA 92618

Report Date: 06/18/04
JEL Ref. No.: ST-1378
Client Ref. No.: 281B

Attn: John Mc Namara

Date Sampled: 06/16/04


Project: Rainbow Disposal
Project Address: 17121 Nichols St., Huntington Beach, CA

Date Received: 06/16/04
Date Analyzed: 06/17/04-06/18/04
Physical State: Soil

Modified EPA 8015 - Semi-Volatile Hydrocarbons (Diesel)

<u>Sample ID</u>	<u>Concentration (mg/Kg)</u>	<u>Surrogate Recovery %</u>	<u>Dilution Factor</u>	<u>Practical Quantitation Limits (mg/Kg)</u>
SB-21-5'	ND	100%	1	10
SB-21-10'	ND	119%	1	10
SB-21-15'	160	107%	1	10
SB-22-5'	ND	100%	1	10
SB-22-10'	ND	116%	1	10
SB-22-15'	ND	119%	1	10
SB-23-5'	ND	111%	1	10
SB-23-10'	6000	--	1	10
SB-23-15'	5600	--	1	10
SB-24-5'	ND	103%	1	10
SB-24-10'	ND	122%	1	10
SB-24-15'	ND	115%	1	10
SB-25-5'	ND	113%	1	10
SB-25-10'	ND	114%	1	10
SB-25-15'	ND	113%	1	10
SB-26-5'	ND	111%	1	10
SB-26-10'	ND	112%	1	10
SB-26-15'	ND	101%	1	10

ND = Not Detected



Jones Environmental, Inc.

Testing Laboratories

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685

JONES ENVIRONMENTAL

QUALITY CONTROL INFORMATION

Client:	Environ Strategy Consultants, Inc.	Report Date:	06/18/04
Client Address:	30 Hughes, Suite 209	JEL Ref. No.:	ST-1378
	Irvine, CA 92618	Client Ref. No.:	281B
Attn:	John Mc Namara	Date Sampled:	06/16/04
		Date Received:	06/16/04
Project:	Rainbow Disposal	Date Analyzed:	06/17/04-06/18/04
Project Address:	17121 Nichols St., Huntington Beach, CA	Physical State:	Soil

Modified EPA 8015 - Semi-Volatile Hydrocarbons (Diesel)

Sample Spiked: SB-11-5'

<u>Parameter</u>	<u>MS Recovery (%)</u>	<u>MSD Recovery (%)</u>	<u>RPD</u>	<u>Acceptability Range (%)</u>
Diesel	93%	98%	4.3%	65 - 125

Sample Spiked: SB-26-5'

<u>Parameter</u>	<u>MS Recovery (%)</u>	<u>MSD Recovery (%)</u>	<u>RPD</u>	<u>Acceptability Range (%)</u>
Diesel	97%	96%	1.7%	65 - 125

Method Blank = Not Detected

MS = Matrix Spike
MSD = Matrix Spike Duplicate
RPD = Relative Percent Difference

Chain-of-Custody Record

Client Environ Strategy	Date 6/16/04
Project Name Rainbow Disposal	Client Project # 281B
Project Address 17121 Nichols St.	Turn Around Requested: <input type="checkbox"/> Immediate Attention <input checked="" type="checkbox"/> Rush 24-48 Hours <input type="checkbox"/> Rush 72-96 Hours <input type="checkbox"/> Normal <input type="checkbox"/> Mobile Lab
Huntington Beach	
Project Contact M. Patrick	

JEL Project #
ST-1378

Page **1** of **4**

Lab Use Only

Sample Condition as Received:
 Chilled ☐ yes ☒ no
 Sealed ☒ yes ☐ no

Sample ID	Sample Location	Date	Time	Laboratory Sample Number	Sample Matrix: Soil (S), Sludge (SL), Aqueous (A)	Analysis Requested	Number of Containers	Remarks/Special Instructions
SB-9-5		6/16/04	13:38	ST-1378-1	S X X X		3	Fluores 2 syringes + 1 sleeve
SB-9-10			13:45	ST-1378-2				
SB-9-15			13:50	ST-1378-3				
SB-10-5			14:30	ST-1378-4				
SB-10-10			14:38	ST-1378-5				
SB-10-15			14:43	ST-1378-6				
SB-11-5			14:58	ST-1378-7				
SB-11-10			15:00	ST-1378-8				
SB-11-15			15:14	ST-1378-9				
SB-14-5			14:00	ST-1378-10				

1 Relinquished by (signature) [Signature]	Date 6/16/04	2 Received by (signature) [Signature]	Date 6/16/04	Total Number of Containers
Company JEL	Time 1645	Company JEL	Time 1645	The delivery of samples and the signature on this Chain of Custody form constitutes authorization to perform the analyses specified above under the Terms and Conditions set forth on the back hereof.
3 Relinquished by (signature)	Date	4 Received by Laboratory (signature)	Date	
Company	Time	Company	Time	

Chain-of-Custody Record

Client Environ Strategy		Date 6/16/04		<div style="display: flex; justify-content: space-between;"> <div style="writing-mode: vertical-rl; transform: rotate(180deg);">Sample Matrix: Soil (S), Sludge (SL), Aqueous (A)</div> <div style="writing-mode: vertical-rl; transform: rotate(180deg);">8260 B Full list</div> <div style="writing-mode: vertical-rl; transform: rotate(180deg);">8015 TPH gas</div> <div style="writing-mode: vertical-rl; transform: rotate(180deg);">8015 TPH diesel</div> </div>										JEL Project # ST-1378	
Project Name Rainbow Disposal		Client Project # 281 B												Page 2 of 4	
Project Address 17121 Nichols St.		Turn Around Requested: <input type="checkbox"/> Immediate Attention <input checked="" type="checkbox"/> Rush 24-48 Hours <input type="checkbox"/> Rush 72-96 Hours <input type="checkbox"/> Normal <input type="checkbox"/> Mobile Lab												Lab Use Only Sample Condition as Received: Chilled <input checked="" type="checkbox"/> yes <input type="checkbox"/> no Sealed <input type="checkbox"/> yes <input type="checkbox"/> no	
Project Contact M. Patrick															

Sample ID	Sample Location	Date	Time	Laboratory Sample Number	Analysis Requested	Number of Containers	Remarks/Special Instructions
SB-14-10		6/16/04	14:04	ST-1378-11	S X X X	3	2 FENCIBLE + 1 BRASS SCREW
SB-14-15			14:12	ST-1378-12			
SB-19-5			11:15	ST-1378-13			
SB-19-10			11:19	ST-1378-14			
SB-19-15			11:26	ST-1378-15			
SB-20-5			8:03	ST-1378-16			
SB-20-10			8:11	ST-1378-17			
SB-20-15			8:16	ST-1378-18			
SB-21-5			8:25	ST-1378-19			
SB-21-10			8:30	ST-1378-20			diesel in soil

① Relinquished by (signature) <i>[Signature]</i>	Date 6/16/04	② Received by (signature) <i>[Signature]</i>	Date 6/16/04	Total Number of Containers
Company	Time	Company	Time 1645	The delivery of samples and the signature on this Chain of Custody form constitutes authorization to perform the analyses specified above under the Terms and Conditions set forth on the back hereof.
④ Relinquished by (signature)	Date	③ Received by Laboratory (signature)	Date	
Company	Time	Company	Time	

Chain-of-Custody Record

Client Environ Strategy	Date 6/16/04
Project Name Rainbow Disposal	Client Project # 281B
Project Address 17121 Nichols St	Turn Around Requested: <input type="checkbox"/> Immediate Attention <input type="checkbox"/> Rush 24-48 Hours <input type="checkbox"/> Rush 72-96 Hours <input type="checkbox"/> Normal <input type="checkbox"/> Mobile Lab
Huntington Beach	
Project Contact M. Patrick	

JEL Project #
ST-1378

Page **3** of **4**

Lab Use Only

Sample Condition as Received:
 Chilled ☒ yes ☐ no
 Sealed ☒ yes ☐ no

Sample ID	Discussion	Date	Time	Laboratory Sample Number	Sample Matrix: Soil (S), Sludge (SL), Aqueous (A), Soil Gas (SG)	Analysis Requested	Number of Containers	Remarks/Special Instructions
SB-21-15		6/16/04	8:40	ST-1378-21	✓	✓	3	2 FINCONORS + 1 BRASS SCREEN
SB-22-5			9:05	ST-1378-22	✓	✓	3	
SB-22-10			9:14	ST-1378-23	✓	✓	3	
SB-22-15			9:17	ST-1378-24	✓	✓	3	
SB-23-5			9:35	ST-1378-25	✓	✓	3	
SB-23-10			9:41	ST-1378-26	✓	✓	3	
SB-23-15			9:50	ST-1378-27	✓	✓	3	
SB-24-5			10:50	ST-1378-28	✓	✓	3	
SB-24-10			10:55	ST-1378-29	✓	✓	3	
SB-24-15			10:58	ST-1378-30	✓	✓	3	

1 Relinquished by (signature) <i>[Signature]</i>	Date 6/16/04	2 Received by (signature) <i>[Signature]</i>	Date 6/16/04	Total Number of Containers
Company	Time	Company	Time 1645	
3 Relinquished by (signature)	Date	4 Received by Laboratory (signature)	Date	The delivery of samples and the signature on this Chain of Custody form constitutes authorization to perform the analyses specified above under the Terms and Conditions set forth on the back hereof.
Company	Time	Company	Time	

Chain-of-Custody Record

Client Environ Strategy	Date 6/16/04
Project Name Rainbow Disposal	Client Project # 281B
Project Address 17121 Nichols St.	Turn Around Requested: <input type="checkbox"/> Immediate Attention <input checked="" type="checkbox"/> Rush 24-48 Hours <input type="checkbox"/> Rush 72-96 Hours <input type="checkbox"/> Normal <input type="checkbox"/> Mobile Lab
Huntington Beach	
Project Contact	

JEL Project #
ST-1378


Page **4** of **4**

Lab Use Only

Sample Condition as Received:
 Chilled ☒ yes ☐ no
 Sealed ☒ yes ☐ no

Sample ID	Discussion	Date	Time	Laboratory Sample Number	Sample Matrix: Soil (S), Sludge (SL), Aqueous (A), Soil Gas (SG)	Analysis Requested	Number of Containers	Remarks/Special Instructions
SB-25-5		6/16/04	13:00	ST-1378-31	S	X X X	3	2 syringe + sleeve
SB-25-10			13:07	ST-1378-32				
SB-25-15			13:11	ST-1378-33				
SB-26-5			12:40	ST-1378-34				
SB-26-10			12:43	ST-1378-35				
SB-26-15			12:47	ST-1378-36				

1 Relinquished by (signature) [Signature]	Date 6/16/04	2 Received by (signature) [Signature]	Date 6/16/04	Total Number of Containers
Company	Time	Company	Time 1645	
3 Relinquished by (signature)	Date	4 Received by Laboratory (signature)	Date	The delivery of samples and the signature on this Chain of Custody form constitutes authorization to perform the analyses specified above under the Terms and Conditions set forth on the back hereof.
Company	Time	Company	Time	



Jones Environmental, Inc.

Testing Laboratories

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685

JONES ENVIRONMENTAL


LABORATORY REPORT

Client:	Environ Strategy Consultants, Inc.	Report Date:	06/18/04
Client Address:	30 Hughes, Suite 209	JEL Ref. No.:	C-0833
	Irvine, CA 92618	Client Ref. No.:	281B
Attn:	John Mc Namara	Date Sampled:	06/17/04
		Date Received:	06/17/04
Project:	Rainbow Disposal	Date Analyzed:	06/17/04-06/18/04
Project Address:	17121 Nichols St., Huntington Beach, CA	Physical State:	Soil

ANALYSES REQUESTED

1. EPA 5035B/8260B- Volatile Organics Compounds by GC/MS
2. Mod 8015 Gasoline - Volatile Hydrocarbons
3. Mod 8015 Diesel - Semi-Volatile Hydrocarbons

Approval:


Steve Jones, Ph.D.
Laboratory Manager



Jones Environmental, Inc.

Testing Laboratories

JONES ENVIRONMENTAL

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685

LABORATORY RESULTS

Client: Environ Strategy Consultants, Inc.
Client Address: 30 Hughes, Suite 209
Irvine, CA 92618

Report Date: 06/18/04
JEL Ref. No.: C-0833
Client Ref. No.: 281B


Attn: John Mc Namara
Project: Rainbow Disposal
Project Address: 17121 Nichols St., Huntington Beach, CA

Date Sampled: 06/17/04
Date Received: 06/17/04
Date Analyzed: 06/17/04-06/18/04
Physical State: Soil

EPA 5035B/8260B- Volatile Organics by GC/MS

<u>Sample ID:</u>	<u>SB-27-5'</u>	<u>SB-27-10'</u>	<u>SB-27-15'</u>	<u>SB-28-5'</u>	<u>SB-28-10'</u>	<u>Practical Quantitation Limits</u>	<u>Units</u>
Analytes:							
Benzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromochloromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromodichloromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromoform	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromomethane	ND	ND	ND	ND	ND	1.0	ug/Kg
n-Butylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
sec-Butylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
tert-Butylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Carbon tetrachloride	ND	ND	ND	ND	ND	1.0	ug/Kg
Chlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Chloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Chloroform	ND	ND	ND	ND	ND	1.0	ug/Kg
Chloromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
2-Chlorotoluene	ND	ND	ND	ND	ND	1.0	ug/Kg
4-Chlorotoluene	ND	ND	ND	ND	ND	1.0	ug/Kg
Dibromochloromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dibromo-3-chloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dibromoethane (EDB)	ND	ND	ND	ND	ND	1.0	ug/Kg
Dibromomethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,3-Dichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,4-Dichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Dichlorodifluoromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1-Dichloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dichloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1-Dichloroethene	ND	ND	ND	ND	ND	1.0	ug/Kg

ND = Not Detected



Jones Environmental, Inc.

Testing Laboratories

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685

JONES ENVIRONMENTAL

LABORATORY RESULTS

Client: Environ Strategy Consultants, Inc.
Client Address: 30 Hughes, Suite 209
Irvine, CA 92618

Report Date: 06/18/04
JEL Ref. No.: C-0833
Client Ref. No.: 281B


Attn: John Mc Namara
Project: Rainbow Disposal
Project Address: 17121 Nichols St., Huntington Beach, CA

Date Sampled: 06/17/04
Date Received: 06/17/04
Date Analyzed: 06/17/04-06/18/04
Physical State: Soil

EPA 5035B/8260B- Volatile Organics by GC/MS

<u>Sample ID:</u>	<u>SB-27-5'</u>	<u>SB-27-10'</u>	<u>SB-27-15'</u>	<u>SB-28-5'</u>	<u>SB-28-10'</u>	<u>Practical Quantitation Limits</u>	<u>Units</u>
Analytes:							
cis-1,2-Dichloroethene	ND	ND	ND	ND	ND	1.0	ug/Kg
trans-1,2-Dichloroethene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dichloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,3-Dichloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
2,2-Dichloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1-Dichloropropene	ND	ND	ND	ND	ND	1.0	ug/Kg
cis-1,3-Dichloropropene	ND	ND	ND	ND	ND	1.0	ug/Kg
trans-1,3-Dichloropropene	ND	ND	ND	ND	ND	1.0	ug/Kg
Ethylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Freon 113	ND	ND	ND	ND	ND	1.0	ug/Kg
Hexachlorobutadiene	ND	ND	ND	ND	ND	1.0	ug/Kg
Isopropylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
4-Isopropyltoluene	ND	ND	ND	ND	ND	1.0	ug/Kg
Methylene chloride	ND	ND	ND	ND	ND	1.0	ug/Kg
Naphthalene	ND	ND	ND	ND	ND	1.0	ug/Kg
n-Propylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Styrene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1,1,2-Tetrachloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1,2,2-Tetrachloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Tetrachloroethylene	ND	ND	ND	ND	ND	1.0	ug/Kg
Toluene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2,3-Trichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2,4-Trichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1,1-Trichloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1,2-Trichloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Trichloroethylene	ND	ND	ND	ND	ND	1.0	ug/Kg

ND = Not Detected



Jones Environmental, Inc.

Testing Laboratories

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685

JONES ENVIRONMENTAL

LABORATORY RESULTS

Client: Environ Strategy Consultants, Inc.
Client Address: 30 Hughes, Suite 209
Irvine, CA 92618

Report Date: 06/18/04
JEL Ref. No.: C-0833
Client Ref. No.: 281B

Attn: John Mc Namara
Project: Rainbow Disposal
Project Address: 17121 Nichols St., Huntington Beach, CA

Date Sampled: 06/17/04
Date Received: 06/17/04
Date Analyzed: 06/17/04-06/18/04
Physical State: Soil


EPA 5035B/8260B- Volatile Organics by GC/MS

<u>Sample ID:</u>	<u>SB-27-5'</u>	<u>SB-27-10'</u>	<u>SB-27-15'</u>	<u>SB-28-5'</u>	<u>SB-28-10'</u>	<u>Practical Quantitation Limits</u>	<u>Units</u>
Analytes:							
Trichlorofluoromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2,3-Trichloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2,4-Trimethylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,3,5-Trimethylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Vinyl chloride	ND	ND	ND	ND	ND	1.0	ug/Kg
Xylenes	ND	ND	ND	ND	ND	1.0	ug/Kg
MTBE	ND	ND	ND	ND	ND	1.0	ug/Kg
Ethyl-tert-butylether	ND	ND	ND	ND	ND	1.0	ug/Kg
Di-isopropylether	ND	ND	ND	ND	ND	1.0	ug/Kg
tert-amylmethylether	ND	ND	ND	ND	ND	1.0	ug/Kg
tert-Butylalcohol	ND	ND	ND	ND	ND	5.0	ug/Kg

<u>Dilution Factor</u>	1	1	1	1	1
-------------------------------	---	---	---	---	---

<u>Surrogate Recovery :</u>						<u>QC Limits</u>
Dibromofluoromethane	96%	94%	90%	94%	96%	60 - 140
Toluene-d ₈	98%	96%	95%	93%	94%	60 - 140
4-Bromofluorobenzene	94%	93%	90%	89%	87%	60 - 140

ND = Not Detected



Jones Environmental, Inc.

Testing Laboratories

JONES ENVIRONMENTAL

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685

LABORATORY RESULTS

Client: Environ Strategy Consultants, Inc.
Client Address: 30 Hughes, Suite 209
Irvine, CA 92618

Report Date: 06/18/04
JEL Ref. No.: C-0833
Client Ref. No.: 281B


Attn: John Mc Namara
Project: Rainbow Disposal
Project Address: 17121 Nichols St., Huntington Beach, CA

Date Sampled: 06/17/04
Date Received: 06/17/04
Date Analyzed: 06/17/04-06/18/04
Physical State: Soil

EPA 5035B/8260B- Volatile Organics by GC/MS

<u>Sample ID:</u>	<u>SB-28-15'</u>	<u>SB-29-5'</u>	<u>SB-29-10'</u>	<u>SB-29-15'</u>	<u>SB-16-5'</u>	<u>Practical Quantitation Limits</u>	<u>Units</u>
Analytes:							
Benzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromochloromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromodichloromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromoform	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromomethane	ND	ND	ND	ND	ND	1.0	ug/Kg
n-Butylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
sec-Butylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
tert-Butylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Carbon tetrachloride	ND	ND	ND	ND	ND	1.0	ug/Kg
Chlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Chloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Chloroform	ND	ND	ND	ND	ND	1.0	ug/Kg
Chloromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
2-Chlorotoluene	ND	ND	ND	ND	ND	1.0	ug/Kg
4-Chlorotoluene	ND	ND	ND	ND	ND	1.0	ug/Kg
Dibromochloromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dibromo-3-chloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dibromoethane (EDB)	ND	ND	ND	ND	ND	1.0	ug/Kg
Dibromomethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,3-Dichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,4-Dichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Dichlorodifluoromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1-Dichloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dichloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1-Dichloroethene	ND	ND	ND	ND	ND	1.0	ug/Kg

ND = Not Detected



Jones Environmental, Inc.

Testing Laboratories

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685

JONES ENVIRONMENTAL

LABORATORY RESULTS

Client: Environ Strategy Consultants, Inc.
Client Address: 30 Hughes, Suite 209
Irvine, CA 92618

Report Date: 06/18/04
JEL Ref. No.: C-0833
Client Ref. No.: 281B

Attn: John Mc Namara

Date Sampled: 06/17/04
Date Received: 06/17/04


Project: Rainbow Disposal
Project Address: 17121 Nichols St., Huntington Beach, CA

Date Analyzed: 06/17/04-06/18/04
Physical State: Soil

EPA 5035B/8260B- Volatile Organics by GC/MS

<u>Sample ID:</u>	<u>SB-28-15'</u>	<u>SB-29-5'</u>	<u>SB-29-10'</u>	<u>SB-29-15'</u>	<u>SB-16-5'</u>	<u>Practical Quantitation Limits</u>	<u>Units</u>
Analytes:							
cis-1,2-Dichloroethene	ND	ND	ND	ND	ND	1.0	ug/Kg
trans-1,2-Dichloroethene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dichloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,3-Dichloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
2,2-Dichloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1-Dichloropropene	ND	ND	ND	ND	ND	1.0	ug/Kg
cis-1,3-Dichloropropene	ND	ND	ND	ND	ND	1.0	ug/Kg
trans-1,3-Dichloropropene	ND	ND	ND	ND	ND	1.0	ug/Kg
Ethylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Freon 113	ND	ND	ND	ND	ND	1.0	ug/Kg
Hexachlorobutadiene	ND	ND	ND	ND	ND	1.0	ug/Kg
Isopropylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
4-Isopropyltoluene	ND	ND	ND	ND	ND	1.0	ug/Kg
Methylene chloride	ND	ND	ND	ND	ND	1.0	ug/Kg
Naphthalene	ND	ND	ND	ND	ND	1.0	ug/Kg
n-Propylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Styrene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1,1,2-Tetrachloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1,2,2-Tetrachloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Tetrachloroethylene	ND	ND	ND	ND	ND	1.0	ug/Kg
Toluene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2,3-Trichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2,4-Trichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1,1-Trichloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1,2-Trichloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Trichloroethylene	ND	ND	ND	ND	ND	1.0	ug/Kg

ND = Not Detected



Jones Environmental, Inc.

Testing Laboratories

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685

JONES ENVIRONMENTAL

LABORATORY RESULTS

Client: Environ Strategy Consultants, Inc.
Client Address: 30 Hughes, Suite 209
Irvine, CA 92618

Report Date: 06/18/04
JEL Ref. No.: C-0833
Client Ref. No.: 281B

Attn: John Mc Namara
Project: Rainbow Disposal
Project Address: 17121 Nichols St., Huntington Beach, CA

Date Sampled: 06/17/04
Date Received: 06/17/04
Date Analyzed: 06/17/04-06/18/04
Physical State: Soil


EPA 5035B/8260B- Volatile Organics by GC/MS

<u>Sample ID:</u>	<u>SB-28-15'</u>	<u>SB-29-5'</u>	<u>SB-29-10'</u>	<u>SB-29-15'</u>	<u>SB-16-5'</u>	<u>Practical Quantitation Limits</u>	<u>Units</u>
Analytes:							
Trichlorofluoromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2,3-Trichloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2,4-Trimethylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,3,5-Trimethylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Vinyl chloride	ND	ND	ND	ND	ND	1.0	ug/Kg
Xylenes	ND	ND	ND	ND	ND	1.0	ug/Kg
MTBE	ND	ND	ND	ND	ND	1.0	ug/Kg
Ethyl-tert-butylether	ND	ND	ND	ND	ND	1.0	ug/Kg
Di-isopropylether	ND	ND	ND	ND	ND	1.0	ug/Kg
tert-amylmethylether	ND	ND	ND	ND	ND	1.0	ug/Kg
tert-Butylalcohol	ND	ND	ND	ND	ND	5.0	ug/Kg

<u>Dilution Factor</u>	1	1	1	1	1
------------------------	---	---	---	---	---

<u>Surrogate Recovery :</u>						<u>QC Limits</u>
Dibromofluoromethane	95%	94%	91%	96%	92%	60 - 140
Toluene-d ₈	95%	91%	94%	96%	93%	60 - 140
4-Bromofluorobenzene	95%	90%	97%	88%	83%	60 - 140

ND = Not Detected



Jones Environmental, Inc.

Testing Laboratories

JONES ENVIRONMENTAL

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685

LABORATORY RESULTS

Client: Environ Strategy Consultants, Inc.
Client Address: 30 Hughes, Suite 209
Irvine, CA 92618

Report Date: 06/18/04
JEL Ref. No.: C-0833
Client Ref. No.: 281B


Attn: John Mc Namara
Project: Rainbow Disposal
Project Address: 17121 Nichols St., Huntington Beach, CA

Date Sampled: 06/17/04
Date Received: 06/17/04
Date Analyzed: 06/17/04-06/18/04
Physical State: Soil

EPA 5035B/8260B- Volatile Organics by GC/MS

<u>Sample ID:</u>	<u>SB-16-10'</u>	<u>SB-16-15'</u>	<u>SB-12-5'</u>	<u>SB-12-10'</u>	<u>SB-12-15'</u>	<u>Practical Quantitation Limits</u>	<u>Units</u>
Analytes:							
Benzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromochloromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromodichloromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromoform	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromomethane	ND	ND	ND	ND	ND	1.0	ug/Kg
n-Butylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
sec-Butylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
tert-Butylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Carbon tetrachloride	ND	ND	ND	ND	ND	1.0	ug/Kg
Chlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Chloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Chloroform	ND	ND	ND	ND	ND	1.0	ug/Kg
Chloromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
2-Chlorotoluene	ND	ND	ND	ND	ND	1.0	ug/Kg
4-Chlorotoluene	ND	ND	ND	ND	ND	1.0	ug/Kg
Dibromochloromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dibromo-3-chloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dibromoethane (EDB)	ND	ND	ND	ND	ND	1.0	ug/Kg
Dibromomethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,3-Dichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,4-Dichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Dichlorodifluoromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1-Dichloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dichloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1-Dichloroethene	ND	ND	ND	ND	ND	1.0	ug/Kg

ND = Not Detected



Jones Environmental, Inc.

Testing Laboratories

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685

JONES ENVIRONMENTAL


LABORATORY RESULTS

Client:	Environ Strategy Consultants, Inc.	Report Date:	06/18/04
Client Address:	30 Hughes, Suite 209	JEL Ref. No.:	C-0833
	Irvine, CA 92618	Client Ref. No.:	281B
Attn:	John Mc Namara	Date Sampled:	06/17/04
		Date Received:	06/17/04
Project:	Rainbow Disposal	Date Analyzed:	06/17/04-06/18/04
Project Address:	17121 Nichols St., Huntington Beach, CA	Physical State:	Soil

EPA 5035B/8260B- Volatile Organics by GC/MS

<u>Sample ID:</u>	<u>SB-16-10'</u>	<u>SB-16-15'</u>	<u>SB-12-5'</u>	<u>SB-12-10'</u>	<u>SB-12-15'</u>	<u>Practical Quantitation Limits</u>	<u>Units</u>
Analytes:							
cis-1,2-Dichloroethene	ND	ND	ND	ND	ND	1.0	ug/Kg
trans-1,2-Dichloroethene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dichloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,3-Dichloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
2,2-Dichloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1-Dichloropropene	ND	ND	ND	ND	ND	1.0	ug/Kg
cis-1,3-Dichloropropene	ND	ND	ND	ND	ND	1.0	ug/Kg
trans-1,3-Dichloropropene	ND	ND	ND	ND	ND	1.0	ug/Kg
Ethylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Freon 113	ND	ND	ND	ND	ND	1.0	ug/Kg
Hexachlorobutadiene	ND	ND	ND	ND	ND	1.0	ug/Kg
Isopropylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
4-Isopropyltoluene	ND	ND	ND	ND	ND	1.0	ug/Kg
Methylene chloride	ND	ND	ND	ND	ND	1.0	ug/Kg
Naphthalene	ND	ND	ND	ND	ND	1.0	ug/Kg
n-Propylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Styrene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1,1,2-Tetrachloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1,2,2-Tetrachloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Tetrachloroethylene	ND	ND	ND	ND	ND	1.0	ug/Kg
Toluene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2,3-Trichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2,4-Trichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1,1-Trichloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1,2-Trichloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Trichloroethylene	ND	ND	ND	ND	ND	1.0	ug/Kg

ND = Not Detected



Jones Environmental, Inc.

Testing Laboratories

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685

JONES ENVIRONMENTAL

LABORATORY RESULTS

Client:	Environ Strategy Consultants, Inc.	Report Date:	06/18/04
Client Address:	30 Hughes, Suite 209	JEL Ref. No.:	C-0833
	Irvine, CA 92618	Client Ref. No.:	281B
Attn:	John Mc Namara	Date Sampled:	06/17/04
		Date Received:	06/17/04
Project:	Rainbow Disposal	Date Analyzed:	06/17/04-06/18/04
Project Address:	17121 Nichols St., Huntington Beach, CA	Physical State:	Soil


EPA 5035B/8260B- Volatile Organics by GC/MS

<u>Sample ID:</u>	<u>SB-16-10'</u>	<u>SB-16-15'</u>	<u>SB-12-5'</u>	<u>SB-12-10'</u>	<u>SB-12-15'</u>	<u>Practical Quantitation Limits</u>	<u>Units</u>
Analytes:							
Trichlorofluoromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2,3-Trichloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2,4-Trimethylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,3,5-Trimethylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Vinyl chloride	ND	ND	ND	ND	ND	1.0	ug/Kg
Xylenes	ND	ND	ND	ND	ND	1.0	ug/Kg
MTBE	ND	ND	ND	ND	ND	1.0	ug/Kg
Ethyl-tert-butylether	ND	ND	ND	ND	ND	1.0	ug/Kg
Di-isopropylether	ND	ND	ND	ND	ND	1.0	ug/Kg
tert-amylmethylether	ND	ND	ND	ND	ND	1.0	ug/Kg
tert-Butylalcohol	ND	ND	ND	ND	ND	5.0	ug/Kg

<u>Dilution Factor</u>	1	1	1	1	1
-------------------------------	---	---	---	---	---

<u>Surrogate Recovery :</u>						<u>QC Limits</u>
Dibromofluoromethane	95%	97%	94%	97%	98%	60 - 140
Toluene-d ₈	99%	101%	104%	105%	105%	60 - 140
4-Bromofluorobenzene	100%	100%	104%	101%	95%	60 - 140

ND = Not Detected



Jones Environmental, Inc.

Testing Laboratories

JONES ENVIRONMENTAL

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685

LABORATORY RESULTS

Client: Environ Strategy Consultants, Inc.
Client Address: 30 Hughes, Suite 209
Irvine, CA 92618

Report Date: 06/18/04
JEL Ref. No.: C-0833
Client Ref. No.: 281B


Attn: John Mc Namara
Project: Rainbow Disposal
Project Address: 17121 Nichols St., Huntington Beach, CA

Date Sampled: 06/17/04
Date Received: 06/17/04
Date Analyzed: 06/17/04-06/18/04
Physical State: Soil

EPA 5035B/8260B- Volatile Organics by GC/MS

<u>Sample ID:</u>	<u>SB-13-5'</u>	<u>SB-13-10'</u>	<u>SB-13-15'</u>	<u>SB-30-5'</u>	<u>SB-30-10'</u>	<u>Practical Quantitation Limits</u>	<u>Units</u>
Analytes:							
Benzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromochloromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromodichloromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromoform	ND	ND	ND	ND	ND	1.0	ug/Kg
Bromomethane	ND	ND	ND	ND	ND	1.0	ug/Kg
n-Butylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
sec-Butylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
tert-Butylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Carbon tetrachloride	ND	ND	ND	ND	ND	1.0	ug/Kg
Chlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Chloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Chloroform	ND	ND	ND	ND	ND	1.0	ug/Kg
Chloromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
2-Chlorotoluene	ND	ND	ND	ND	ND	1.0	ug/Kg
4-Chlorotoluene	ND	ND	ND	ND	ND	1.0	ug/Kg
Dibromochloromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dibromo-3-chloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dibromoethane (EDB)	ND	ND	ND	ND	ND	1.0	ug/Kg
Dibromomethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,3-Dichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,4-Dichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Dichlorodifluoromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1-Dichloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dichloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1-Dichloroethene	ND	ND	ND	ND	ND	1.0	ug/Kg

ND = Not Detected



Jones Environmental, Inc.

Testing Laboratories

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685

JONES ENVIRONMENTAL

LABORATORY RESULTS

Client: Environ Strategy Consultants, Inc.
Client Address: 30 Hughes, Suite 209
Irvine, CA 92618

Report Date: 06/18/04
JEL Ref. No.: C-0833
Client Ref. No.: 281B


Attn: John Mc Namara
Project: Rainbow Disposal
Project Address: 17121 Nichols St., Huntington Beach, CA

Date Sampled: 06/17/04
Date Received: 06/17/04
Date Analyzed: 06/17/04-06/18/04
Physical State: Soil

EPA 5035B/8260B- Volatile Organics by GC/MS

<u>Sample ID:</u>	<u>SB-13-5'</u>	<u>SB-13-10'</u>	<u>SB-13-15'</u>	<u>SB-30-5'</u>	<u>SB-30-10'</u>	<u>Practical Quantitation Limits</u>	<u>Units</u>
Analytes:							
cis-1,2-Dichloroethene	ND	ND	ND	ND	ND	1.0	ug/Kg
trans-1,2-Dichloroethene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dichloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,3-Dichloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
2,2-Dichloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1-Dichloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
cis-1,3-Dichloropropene	ND	ND	ND	ND	ND	1.0	ug/Kg
trans-1,3-Dichloropropene	ND	ND	ND	ND	ND	1.0	ug/Kg
Ethylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Freon 113	ND	ND	ND	ND	ND	1.0	ug/Kg
Hexachlorobutadiene	ND	ND	ND	ND	ND	1.0	ug/Kg
Isopropylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
4-Isopropyltoluene	ND	ND	ND	ND	ND	1.0	ug/Kg
Methylene chloride	ND	ND	ND	ND	ND	1.0	ug/Kg
Naphthalene	ND	ND	ND	ND	ND	1.0	ug/Kg
n-Propylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Styrene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1,1,2-Tetrachloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1,2,2-Tetrachloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Tetrachloroethylene	ND	ND	ND	ND	ND	1.0	ug/Kg
Toluene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2,3-Trichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2,4-Trichlorobenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1,1-Trichloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,1,2-Trichloroethane	ND	ND	ND	ND	ND	1.0	ug/Kg
Trichloroethylene	ND	ND	ND	ND	ND	1.0	ug/Kg

ND = Not Detected



Jones Environmental, Inc.

Testing Laboratories

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685

JONES ENVIRONMENTAL

LABORATORY RESULTS

Client: Environ Strategy Consultants, Inc.
Client Address: 30 Hughes, Suite 209
Irvine, CA 92618

Report Date: 06/18/04
JEL Ref. No.: C-0833
Client Ref. No.: 281B

Attn: John Mc Namara
Project: Rainbow Disposal
Project Address: 17121 Nichols St., Huntington Beach, CA

Date Sampled: 06/17/04
Date Received: 06/17/04
Date Analyzed: 06/17/04-06/18/04
Physical State: Soil


EPA 5035B/8260B- Volatile Organics by GC/MS

<u>Sample ID:</u>	<u>SB-13-5'</u>	<u>SB-13-10'</u>	<u>SB-13-15'</u>	<u>SB-30-5'</u>	<u>SB-30-10'</u>	<u>Practical Quantitation Limits</u>	<u>Units</u>
Analytes:							
Trichlorofluoromethane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2,3-Trichloropropane	ND	ND	ND	ND	ND	1.0	ug/Kg
1,2,4-Trimethylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
1,3,5-Trimethylbenzene	ND	ND	ND	ND	ND	1.0	ug/Kg
Vinyl chloride	ND	ND	ND	ND	ND	1.0	ug/Kg
Xylenes	ND	ND	ND	ND	ND	1.0	ug/Kg
MTBE	ND	ND	ND	ND	ND	1.0	ug/Kg
Ethyl-tert-butylether	ND	ND	ND	ND	ND	1.0	ug/Kg
Di-isopropylether	ND	ND	ND	ND	ND	1.0	ug/Kg
tert-amylmethylether	ND	ND	ND	ND	ND	1.0	ug/Kg
tert-Butylalcohol	ND	ND	ND	ND	ND	5.0	ug/Kg

<u>Dilution Factor</u>	1	1	1	1	1
------------------------	---	---	---	---	---

<u>Surrogate Recovery :</u>						<u>QC Limits</u>
Dibromofluoromethane	91%	91%	112%	91%	91%	60 - 140
Toluene-d ₈	98%	98%	93%	105%	100%	60 - 140
4-Bromofluorobenzene	98%	82%	81%	95%	103%	60 - 140

ND = Not Detected



Jones Environmental, Inc.

Testing Laboratories

JONES ENVIRONMENTAL

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685

LABORATORY RESULTS

Client: Environ Strategy Consultants, Inc.
Client Address: 30 Hughes, Suite 209
Irvine, CA 92618

Report Date: 06/18/04
JEL Ref. No.: C-0833
Client Ref. No.: 281B


Attn: John Mc Namara
Project: Rainbow Disposal
Project Address: 17121 Nichols St., Huntington Beach, CA

Date Sampled: 06/17/04
Date Received: 06/17/04
Date Analyzed: 06/17/04-06/18/04
Physical State: Soil

EPA 5035B/8260B- Volatile Organics by GC/MS

<u>Sample ID:</u>	<u>SB-30-15'</u>	<u>SB-31-5'</u>	<u>SB-31-10'</u>	<u>SB-31-15'</u>	<u>Practical Quantitation Limits</u>	<u>Units</u>
Analytes:						
Benzene	ND	ND	ND	ND	1.0	ug/Kg
Bromobenzene	ND	ND	ND	ND	1.0	ug/Kg
Bromochloromethane	ND	ND	ND	ND	1.0	ug/Kg
Bromodichloromethane	ND	ND	ND	ND	1.0	ug/Kg
Bromoform	ND	ND	ND	ND	1.0	ug/Kg
Bromomethane	ND	ND	ND	ND	1.0	ug/Kg
n-Butylbenzene	ND	ND	ND	ND	1.0	ug/Kg
sec-Butylbenzene	ND	ND	ND	ND	1.0	ug/Kg
tert-Butylbenzene	ND	ND	ND	ND	1.0	ug/Kg
Carbon tetrachloride	ND	ND	ND	ND	1.0	ug/Kg
Chlorobenzene	ND	ND	ND	ND	1.0	ug/Kg
Chloroethane	ND	ND	ND	ND	1.0	ug/Kg
Chloroform	ND	ND	ND	ND	1.0	ug/Kg
Chloromethane	ND	ND	ND	ND	1.0	ug/Kg
2-Chlorotoluene	ND	ND	ND	ND	1.0	ug/Kg
4-Chlorotoluene	ND	ND	ND	ND	1.0	ug/Kg
Dibromochloromethane	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dibromo-3-chloropropane	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dibromoethane (EDB)	ND	ND	ND	ND	1.0	ug/Kg
Dibromomethane	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dichlorobenzene	ND	ND	ND	ND	1.0	ug/Kg
1,3-Dichlorobenzene	ND	ND	ND	ND	1.0	ug/Kg
1,4-Dichlorobenzene	ND	ND	ND	ND	1.0	ug/Kg
Dichlorodifluoromethane	ND	ND	ND	ND	1.0	ug/Kg
1,1-Dichloroethane	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dichloroethane	ND	ND	ND	ND	1.0	ug/Kg
1,1-Dichloroethene	ND	ND	ND	ND	1.0	ug/Kg

ND = Not Detected



Jones Environmental, Inc.

Testing Laboratories

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685

JONES ENVIRONMENTAL


LABORATORY RESULTS

Client:	Environ Strategy Consultants, Inc.	Report Date:	06/18/04
Client Address:	30 Hughes, Suite 209	JEL Ref. No.:	C-0833
	Irvine, CA 92618	Client Ref. No.:	281B
Attn:	John Mc Namara	Date Sampled:	06/17/04
		Date Received:	06/17/04
Project:	Rainbow Disposal	Date Analyzed:	06/17/04-06/18/04
Project Address:	17121 Nichols St., Huntington Beach, CA	Physical State:	Soil

EPA 5035B/8260B- Volatile Organics by GC/MS

<u>Sample ID:</u>	<u>SB-30-15'</u>	<u>SB-31-5'</u>	<u>SB-31-10'</u>	<u>SB-31-15'</u>	<u>Practical Quantitation Limits</u>	<u>Units</u>
Analytes:						
cis-1,2-Dichloroethene	ND	ND	ND	ND	1.0	ug/Kg
trans-1,2-Dichloroethene	ND	ND	ND	ND	1.0	ug/Kg
1,2-Dichloropropane	ND	ND	ND	ND	1.0	ug/Kg
1,3-Dichloropropane	ND	ND	ND	ND	1.0	ug/Kg
2,2-Dichloropropane	ND	ND	ND	ND	1.0	ug/Kg
1,1-Dichloropropene	ND	ND	ND	ND	1.0	ug/Kg
cis-1,3-Dichloropropene	ND	ND	ND	ND	1.0	ug/Kg
trans-1,3-Dichloropropene	ND	ND	ND	ND	1.0	ug/Kg
Ethylbenzene	ND	ND	ND	ND	1.0	ug/Kg
Freon 113	ND	ND	ND	ND	1.0	ug/Kg
Hexachlorobutadiene	ND	ND	ND	ND	1.0	ug/Kg
Isopropylbenzene	ND	ND	ND	ND	1.0	ug/Kg
4-Isopropyltoluene	ND	ND	ND	ND	1.0	ug/Kg
Methylene chloride	ND	ND	ND	ND	1.0	ug/Kg
Naphthalene	ND	ND	ND	ND	1.0	ug/Kg
n-Propylbenzene	ND	ND	ND	ND	1.0	ug/Kg
Styrene	ND	ND	ND	ND	1.0	ug/Kg
1,1,1,2-Tetrachloroethane	ND	ND	ND	ND	1.0	ug/Kg
1,1,2,2-Tetrachloroethane	ND	ND	ND	ND	1.0	ug/Kg
Tetrachloroethylene	ND	ND	ND	ND	1.0	ug/Kg
Toluene	ND	ND	ND	ND	1.0	ug/Kg
1,2,3-Trichlorobenzene	ND	ND	ND	ND	1.0	ug/Kg
1,2,4-Trichlorobenzene	ND	ND	ND	ND	1.0	ug/Kg
1,1,1-Trichloroethane	ND	ND	ND	ND	1.0	ug/Kg
1,1,2-Trichloroethane	ND	ND	ND	ND	1.0	ug/Kg
Trichloroethylene	ND	ND	ND	ND	1.0	ug/Kg

ND = Not Detected



Jones Environmental, Inc.

Testing Laboratories

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685

JONES ENVIRONMENTAL

LABORATORY RESULTS

Client:	Environ Strategy Consultants, Inc.	Report Date:	06/18/04
Client Address:	30 Hughes, Suite 209 Irvine, CA 92618	JEL Ref. No.:	C-0833
		Client Ref. No.:	281B
Attn:	John Mc Namara	Date Sampled:	06/17/04
		Date Received:	06/17/04
Project:	Rainbow Disposal	Date Analyzed:	06/17/04-06/18/04
Project Address:	17121 Nichols St., Huntington Beach, CA	Physical State:	Soil


EPA 5035B/8260B- Volatile Organics by GC/MS

<u>Sample ID:</u>	<u>SB-30-15'</u>	<u>SB-31-5'</u>	<u>SB-31-10'</u>	<u>SB-31-15'</u>	<u>Practical Quantitation Limits</u>	<u>Units</u>
Analytes:						
Trichlorofluoromethane	ND	ND	ND	ND	1.0	ug/Kg
1,2,3-Trichloropropane	ND	ND	ND	ND	1.0	ug/Kg
1,2,4-Trimethylbenzene	ND	ND	ND	ND	1.0	ug/Kg
1,3,5-Trimethylbenzene	ND	ND	ND	ND	1.0	ug/Kg
Vinyl chloride	ND	ND	ND	ND	1.0	ug/Kg
Xylenes	ND	ND	ND	ND	1.0	ug/Kg
MTBE	ND	ND	ND	ND	1.0	ug/Kg
Ethyl-tert-butylether	ND	ND	ND	ND	1.0	ug/Kg
Di-isopropylether	ND	ND	ND	ND	1.0	ug/Kg
tert-amylmethylether	ND	ND	ND	ND	1.0	ug/Kg
tert-Butylalcohol	ND	ND	ND	ND	5.0	ug/Kg

<u>Dilution Factor</u>	1	1	1	1
-------------------------------	---	---	---	---

<u>Surrogate Recovery :</u>					<u>QC Limits</u>
Dibromofluoromethane	98%	85%	94%	105%	60 - 140
Toluene-d ₈	105%	100%	109%	98%	60 - 140
4-Bromofluorobenzene	104%	96%	94%	107%	60 - 140

ND = Not Detected



Jones Environmental, Inc.

Testing Laboratories

JONES ENVIRONMENTAL

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685

QUALITY CONTROL INFORMATION

Client:	Environ Strategy Consultants, Inc.	Report Date:	06/18/04
Client Address:	30 Hughes, Suite 209 Irvine, CA 92618	JEL Ref. No.:	C-0833
		Client Ref. No.:	281B
Attn:	John Mc Namara	Date Sampled:	06/17/04
		Date Received:	06/17/04
Project:	Rainbow Disposal	Date Analyzed:	06/17/04-06/18/04
Project Address:	17121 Nichols St., Huntington Beach, CA	Physical State:	Soil

EPA 5035B/8260B- Volatile Organics by GC/MS

Sample Spiked: SB-16-15'


<u>Parameter</u>	<u>MS Recovery (%)</u>	<u>MSD Recovery (%)</u>	<u>RPD</u>	<u>Acceptability Range (%)</u>
1,1-Dichloroethylene	99%	100%	1.0%	60 - 140
Benzene	93%	80%	15%	60 - 140
Trichloroethylene	107%	109%	1.8%	60 - 140
Toluene	99%	114%	14%	60 - 140
Chlorobenzene	120%	111%	7.7%	60 - 140

Sample Spiked: SB-30-15'

<u>Parameter</u>	<u>MS Recovery (%)</u>	<u>MSD Recovery (%)</u>	<u>RPD</u>	<u>Acceptability Range (%)</u>
1,1-Dichloroethylene	103%	97%	5.9%	60 - 140
Benzene	98%	101%	3.3%	60 - 140
Trichloroethylene	100%	102%	2.0%	60 - 140
Toluene	92%	96%	4.9%	60 - 140
Chlorobenzene	111%	113%	2.4%	60 - 140

Method Blank = Not Detected

MS = Matrix Spike
MSD = Matrix Spike Duplicate
RPD = Relative Percent Difference



Jones Environmental, Inc.

Testing Laboratories

JONES ENVIRONMENTAL

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685


LABORATORY RESULTS

Client:	Environ Strategy Consultants, Inc.	Report Date:	06/18/04
Client Address:	30 Hughes, Suite 209	JEL Ref. No.:	C-0833
	Irvine, CA 92618	Client Ref. No.:	281B
Attn:	John Mc Namara	Date Sampled:	06/17/04
		Date Received:	06/17/04
Project:	Rainbow Disposal	Date Analyzed:	06/17/04-06/18/04
Project Address:	17121 Nichols St., Huntington Beach, CA	Physical State:	Soil

Modified EPA 8015 - Volatile Hydrocarbons (Gasoline)

<u>Sample ID</u>	<u>Concentration</u> (mg/Kg)	<u>Surrogate</u> <u>Recovery %</u>	<u>Dilution</u> <u>Factor</u>	<u>Practical</u> <u>Quantitation</u> <u>Limits</u> (mg/Kg)
SB-27-5'	ND	95%	1	0.5
SB-27-10'	ND	101%	1	0.5
SB-27-15'	ND	94%	1	0.5
SB-28-5'	ND	91%	1	0.5
SB-28-10'	ND	96%	1	0.5
SB-28-15'	ND	88%	1	0.5
SB-29-5'	ND	92%	1	0.5
SB-29-10'	ND	108%	1	0.5
SB-29-15'	ND	86%	1	0.5
SB-16-5'	ND	100%	1	0.5
SB-16-10'	ND	103%	1	0.5
SB-16-15'	ND	110%	1	0.5
SB-12-5'	ND	94%	1	0.5
SB-12-10'	ND	101%	1	0.5
SB-12-15'	ND	92%	1	0.5
SB-13-5'	ND	90%	1	0.5
SB-13-10'	ND	86%	1	0.5
SB-13-15'	ND	93%	1	0.5
SB-30-5'	ND	95%	1	0.5
SB-30-10'	ND	103%	1	0.5
SB-30-15'	ND	104%	1	0.5
SB-31-5'	ND	96%	1	0.5
SB-31-10'	ND	94%	1	0.5
SB-31-15'	ND	107%	1	0.5

ND = Not Detected



Jones Environmental, Inc.

Testing Laboratories

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685

JONES ENVIRONMENTAL

QUALITY CONTROL INFORMATION

Client:	Environ Strategy Consultants, Inc.	Report Date:	06/18/04
Client Address:	30 Hughes, Suite 209	JEL Ref. No.:	C-0833
	Irvine, CA 92618	Client Ref. No.:	281B
Attn:	John Mc Namara	Date Sampled:	06/17/04
		Date Received:	06/17/04
Project:	Rainbow Disposal	Date Analyzed:	06/17/04-06/18/04
Project Address:	17121 Nichols St., Huntington Beach, CA	Physical State:	Soil

Modified EPA 8015 - Volatile Hydrocarbons (Gasoline)

Sample Spiked: CLEAN SOIL


<u>Parameter</u>	<u>MS Recovery (%)</u>	<u>MSD Recovery (%)</u>	<u>RPD</u>	<u>Acceptability Range (%)</u>
Gasoline	97%	103%	6.7%	65 - 125

Sample Spiked: SB-16-15'

<u>Parameter</u>	<u>MS Recovery (%)</u>	<u>MSD Recovery (%)</u>	<u>RPD</u>	<u>Acceptability Range (%)</u>
Gasoline	83%	82%	1.6%	65 - 125

Method Blank = Not Detected

MS = Matrix Spike
MSD = Matrix Spike Duplicate
RPD = Relative Percent Difference



Jones Environmental, Inc.

Testing Laboratories

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685

JONES ENVIRONMENTAL


LABORATORY RESULTS

Client:	Environ Strategy Consultants, Inc.	Report Date:	06/18/04
Client Address:	30 Hughes, Suite 209	JEL Ref. No.:	C-0833
	Irvine, CA 92618	Client Ref. No.:	281B
Attn:	John Mc Namara	Date Sampled:	06/17/04
		Date Received:	06/17/04
Project:	Rainbow Disposal	Date Analyzed:	06/17/04-06/18/04
Project Address:	17121 Nichols St., Huntington Beach, CA	Physical State:	Soil

Modified EPA 8015 - Semi-Volatile Hydrocarbons (Diesel)

<u>Sample ID</u>	<u>Concentration</u> <u>(mg/Kg)</u>	<u>Surrogate</u> <u>Recovery %</u>	<u>Dilution</u> <u>Factor</u>	<u>Practical</u> <u>Quantitation</u> <u>Limits</u> <u>(mg/Kg)</u>
SB-27-5'	ND	106%	1	10
SB-27-10'	ND	111%	1	10
SB-27-15'	ND	108%	1	10
SB-28-5'	ND	106%	1	10
SB-28-10'	ND	97%	1	10
SB-28-15'	ND	107%	1	10
SB-29-5'	ND	99%	1	10
SB-29-10'	ND	103%	1	10
SB-29-15'	ND	100%	1	10
SB-16-5'	ND	108%	1	10
SB-16-10'	ND	117%	1	10
SB-16-15'	ND	113%	1	10
SB-12-5'	ND	108%	1	10
SB-12-10'	ND	108%	1	10
SB-12-15'	ND	106%	1	10
SB-13-5'	ND	104%	1	10
SB-13-10'	39	--	1	10
SB-13-15'	44	--	1	10
SB-30-5'	ND	80%	1	10
SB-30-10'	ND	104%	1	10
SB-30-15'	ND	106%	1	10
SB-31-5'	ND	109%	1	10
SB-31-10'	ND	100%	1	10
SB-31-15'	ND	98%	1	10

ND = Not Detected



Jones Environmental, Inc.

Testing Laboratories

P.O. Box 5387 • Fullerton, CA 92838
(714) 449-9937 • FAX (714) 449-9685

JONES ENVIRONMENTAL

QUALITY CONTROL INFORMATION

Client:	Environ Strategy Consultants, Inc.	Report Date:	06/18/04
Client Address:	30 Hughes, Suite 209	JEL Ref. No.:	C-0833
	Irvine, CA 92618	Client Ref. No.:	281B
Attn:	John Mc Namara	Date Sampled:	06/17/04
		Date Received:	06/17/04
Project:	Rainbow Disposal	Date Analyzed:	06/17/04-06/18/04
Project Address:	17121 Nichols St., Huntington Beach, CA	Physical State:	Soil

Modified EPA 8015 - Semi-Volatile Hydrocarbons (Diesel)

Sample Spiked: SB-18-5'

<u>Parameter</u>	<u>MS Recovery (%)</u>	<u>MSD Recovery (%)</u>	<u>RPD</u>	<u>Acceptability Range (%)</u>
Diesel	86%	95%	9.4%	65 - 125

Sample Spiked: SB-31-15'

<u>Parameter</u>	<u>MS Recovery (%)</u>	<u>MSD Recovery (%)</u>	<u>RPD</u>	<u>Acceptability Range (%)</u>
Diesel	106%	109%	2.5%	65 - 125

Method Blank = Not Detected

MS = Matrix Spike
MSD = Matrix Spike Duplicate
RPD = Relative Percent Difference

Chain-of-Custody Record

Client ENVIRON STRATEGY		Date 6-17-04		Analysis Requested Sample Matrix: Soil (S), Sludge (SL), Aqueous (A), Soil Gas (SG) 82608 FULL VOC 8015 m TPH GASOLINE 8015 m TPH DIESEL 5035 SAMPLING METHOD		JEL Project # C0833					
Project Name RATON BOW DRAINAGE		Client Project #				Page 1 of 3					
Project Address 17121 NICHOLS ST.		Turn Around Requested: <input type="checkbox"/> Immediate Attention <input type="checkbox"/> Rush 24-48 Hours <input type="checkbox"/> Rush 72-96 Hours <input type="checkbox"/> Normal <input checked="" type="checkbox"/> Mobile Lab				Lab Use Only Sample Condition as Received: Chilled <input type="checkbox"/> yes <input checked="" type="checkbox"/> no Sealed <input checked="" type="checkbox"/> yes <input type="checkbox"/> no					
HUNTINGTON BEACH, CA.								Project Contact JOHN MACNAMARA			
Sample ID	Discussion	Date	Time	Laboratory Sample Number	Remarks/Special Instructions						
SB-27-5'		6-17-04	07:30	C0833-1	S	X	X	X	X	3	PLASTIC SLEEVES 2 ENCLOSED
SB-27-10'		6-17-04	07:35	C0833-2	S	X	X	X	X	3	" "
SB-27-15'		6-17-04	07:40	C0833-3	S	X	X	X	X	3	" "
SB-28-5'		6-17-04	08:07	C0833-4	S	X	X	X	X	3	" "
SB-28-10'		6-17-04	08:10	C0833-5	S	X	X	X	X	3	" "
SB-28-15'		6-17-04	08:14	C0833-6	S	X	X	X	X	3	" "
SB-29-5'		6-17-04	08:30	C0833-7	S	X	X	X	X	3	" "
SB-29-10'		6-17-04	08:35	C0833-8	S	X	X	X	X	3	" "
SB-29-15'		6-17-04	08:43	C0833-9	S	X	X	X	X	3	" "
SB-16-5'		6-17-04	09:00	C0833-10	S	X	X	X	X	3	" "
1 Relinquished by (signature) John Macnamara		Date 6/17/04		2 Received by (signature) Bill P...		Date 6-17-04		Total Number of Containers The delivery of samples and the signature on this Chain of Custody form constitutes authorization to perform the analyses specified above under the Terms and Conditions set forth on the back hereof.			
Company Environ Strategy		Time 14:35		Company JEL		Time 14:35					
3 Relinquished by (signature)		Date		4 Received by Laboratory (signature)		Date					
Company		Time		Company		Time					

Chain-of-Custody Record

Client ENVIRON STRATEGIES	Date 6-17-04
Project Name RAINBOW DISPOSAL	Client Project #
Project Address 17121 NICHOLS ST.	Turn Around Requested:
HUNTINGTON BEACH CA	<input type="checkbox"/> Immediate Attention
Project Contact JOHN MACNAMARA	<input type="checkbox"/> Rush 24-48 Hours
	<input type="checkbox"/> Rush 72-96 Hours
	<input type="checkbox"/> Normal
	<input checked="" type="checkbox"/> Mobile Lab

Analysis Requested

Sample Matrix:
Soil (S), Sludge (SL), Aqueous (A), Soil Gas (SG)

8260 B FULL VOLS
8015m TPA GASOLINE
8015m TPA DIESEL
5035 SAMPLE METHOD

Number of Containers

JEL Project #
C0833

Page **2** of **3**

Lab Use Only

Sample Condition as Received:

Chilled ☐ yes ☒ no

Sealed ☒ yes ☐ no

Sample ID	Discussion	Date	Time	Laboratory Sample Number	Sample Matrix: Soil (S), Sludge (SL), Aqueous (A), Soil Gas (SG)	Analysis Requested	Number of Containers	Remarks/Special Instructions
SB-16-10'		6-17-04	09:05	C0833-11	S	X X X	X 3	PURISTIC SLEEVE + 2 EXPOSURE
SB-16-15'		6-17-04	09:10	C0833-12	S	X X X	X 3	" "
SB-12-5'		6-17-04	09:25	C0833-13	S	X X X	X 3	" "
SB-12-10'		6-17-04	09:34	C0833-14	S	X X X	X 3	" "
SB-12-15'		6-17-04	09:42	C0833-15	S	X X X	X 3	" "
SB-13-5'		6-17-04	10:35	C0833-16	S	X X X	X 3	" "
SB-13-10'		6-17-04	10:42	C0833-17	S	X X X	X 3	" "
SB-13-15'		6-17-04	10:46	C0833-18	S	X X X	X 3	" "
SB-30-5'		6-17-04	13:30	C0833-19	S	X X X	X 3	" "
SB-30-10'		6-17-04	13:35	C0833-20	S	X X X	X 3	" "

1 Relinquished by (signature) myra pete	Date 6/17/04	2 Received by (signature) Bill Piane	Date 6-17-04	Total Number of Containers
Company Environ Strategy	Time 14:35	Company JEL	Time 14:35	The delivery of samples and the signature on this Chain of Custody form constitutes authorization to perform the analyses specified above under the Terms and Conditions set forth on the back hereof.
3 Relinquished by (signature)	Date	4 Received by Laboratory (signature)	Date	
Company	Time	Company	Time	

Chain-of-Custody Record

Client ENVIRON STRATEGY		Date 6-17-04		Analysis Requested Sample Matrix: Soil (S), Sludge (SL), Aqueous (A), Soil Gas (SG) SB-30 B Full Vol SB-31 M TPH GASOLINE SB-31 M TPH DIESEL SB-35 SAMPLE METHOD Number of Containers										JEL Project # C0833		
Project Name RAINBOW DISPOSAL		Client Project #												Page 3 of 3		
Project Address 17121 NICHOLS ST.		Turn Around Requested: <input type="checkbox"/> Immediate Attention <input type="checkbox"/> Rush 24-48 Hours <input type="checkbox"/> Rush 72-96 Hours <input type="checkbox"/> Normal <input checked="" type="checkbox"/> Mobile Lab												Lab Use Only		
Project Contact HUNTINGTON BEACH, CA. JOHN MACNAMARA														Sample Condition as Received: Chilled <input type="checkbox"/> yes <input checked="" type="checkbox"/> no Sealed <input checked="" type="checkbox"/> yes <input type="checkbox"/> no		
Sample ID	Discussion	Date	Time	Laboratory Sample Number	S	X	X	X								Remarks/Special Instructions
SB-30-15'		06-17-04	13:44	C0833-21	S	X	X	X					X	3		PLASTIC SLEEVE + 2 ENCL
SB-31-5'		6-17-04	14:06	C0833-22	S	X	X	X					X	3		" "
SB-31-10'		6-17-04	14:17	C0833-23	S	X	X	X					X	3		" "
SB-31-15'		6-17-04	14:22	C0833-24	S	X	X	X					X	3		" "
1 Relinquished by (signature) <i>John Macnamara</i>		Date 6/17/04		2 Received by (signature) <i>Bill P...</i>		Date 6-17-04		Total Number of Containers								
Company Environ Stat.		Time 14:35		Company JEL		Time 14:35		The delivery of samples and the signature on this Chain of Custody form constitutes authorization to perform the analyses specified above under the Terms and Conditions set forth on the back hereof.								
3 Relinquished by (signature)		Date		4 Received by Laboratory (signature)		Date										
Company		Time		Company		Time										

APPENDIX B

SITE HEALTH AND SAFETY PLAN

**Rainbow Disposal Company, Inc.
17121 Nichols Street
Huntington Beach, California**

prepared for

**Rainbow Disposal Company, Inc.
17121 Nichols Street
Huntington Beach, California**

February 20, 2007

Project No. 281-C

prepared by

environ strategy consultants, inc.



30 Hughes, Suite 209
Irvine, California 92618
tel 949.581.3222
fax 949.581.3207

Site Health and Safety Plan

Rainbow Disposal Company, Inc.
Huntington Beach, California

Page i
February 20, 2007

Table Of Contents

1.0 BACKGROUND	1
2.0 OBJECTIVE AND PLAN	1
3.0 HAZARD EVALUATION	2
3.1 Suspect Substances	2
3.2 Personal Protective Equipment and Monitoring	3
3.3 Underground Line and Utility Clearing	4
3.4 Decontamination Procedures	4
3.5 Other Procedures	4
3.6 Other Hazards	4
4.0 EMERGENCY PROCEDURE	5
5.0 ACKNOWLEDGMENT AND UNDERSTANDING OF PLAN	6

HEALTH AND SAFETY PLAN
Rainbow Disposal Company, Inc.
17121 Nichols Street
Huntington Beach, California

1.0 BACKGROUND

The subject site is a 17.59 acres active permitted non-hazardous waste transfer and material recycling facility with a household hazardous materials collection center operated by Orange County. The facility receives an average of 2,000 tons of waste per day and operates 24 hours per day, seven days a week. Various commercial and industrial activities in addition to waste processing have been performed on the subject property in the last 50 years. The site originally had a farm and later housed a rendering plant with meat packing, an ice making facility, a machine shop, an oil filter processing facility, a lumber company, a contractors yard, and heavy equipment repair and parking. A spur off the adjacent Southern Pacific Railway also used to enter the site. Currently the site contains a large material recycling building with conveyors, a transfer station with scales, an office building, a welding shop, a vehicle repair shop, a truck wash bay with a clarifier, a bin wash and repair bay with a clarifier and two spray paint booths, a household hazardous waste enclosure, a fuel dispenser island with fuel storage tanks in vaults, and several large asphalt parking lots used for trucks, bins, and vehicles. The fuel dispensing island contains a 2,000-gallon gasoline above ground storage tank (AST), a 10,000 and 11,250-gallon diesel ASTs, and a 750-gallon waste oil AST. The site used to contain several

Site Health and Safety Plan

underground storage tanks (USTs) which had reported leakages. On-site remediation consisting of in-situ steam injection vacuum extraction (SIVE) was implemented in late 1991 in the areas near the leaking USTs. This system operated until 1994. In 1994 and 1995 approximately 135 ground water monitoring wells associated with the remediation were abandoned. In 1995 a two-year post-remedial monitoring program, using four on-site and three off-site monitoring wells, was initiated. This monitoring program concluded in March 1997.

2.0 OBJECTIVE AND PLAN

This health and safety plan was developed to cover a variety of monitoring and investigative work associated with environmental and geotechnical site investigations performed by Environ Strategy Consultants, Inc. (ESCI) employees and/or contractors. All activities will be conducted in accordance with ESCI's injury and illness prevention program and the codes of safe practices.

The following activities are to be conducted:

- Drilling and collection of soil and/or ground water samples for laboratory analysis.
- Other field services related to environmental investigation activities.

3.0 HAZARD EVALUATION

3.1 Site Evaluation

Prior to beginning field activities at an active site, the project manager should notify station personnel of the upcoming work planned at the site for the day. Next the site should be visually assessed for potential hazards such as overhead electrical lines, traffic, uneven terrain and slippery surfaces. Before beginning work Environ Strategy personnel and their subcontractors shall locate the following at the site and around the work area:

1. the emergency pump shut-off(s) for the fuel dispensers if applicable
2. the site gas, water, and electrical mains
3. the Underground Service Alert markings for underground utility locations
4. fire extinguishers
5. first aid kits
6. site emergency alarms (if available)
7. land phones and cell phones
8. overhead electric lines
9. site entrances and exits
10. nearby restroom facilities

Site Health and Safety Plan

Rainbow Disposal Company, Inc.
Huntington Beach, California

Page 3
February 20, 2007

11. sources of potable water

3.2 Preventative Measures

Work areas will be properly delineated with caution tape, traffic cones, and/or barriers. No unauthorized vehicles or personnel shall be allowed to enter work areas.

Equipment and machinery shall only be operated by employees qualified by training or experience.

The use of any machinery, tool, material, or equipment which is known to be faulty or not in compliance is prohibited. Any machine, tool, material, or equipment which becomes damaged or unsafe, shall be tagged and physically removed from the place of operation. In the case of equipment or machines, the controls shall be locked to render them inoperable.

Open pits and holes will be properly marked with caution tape, traffic cones, and/or barriers as feasible during work hours. Open pits or holes will be properly covered and/or fenced during non-operating hours.

Contaminated soil piles (PID readings >50 ppmV) will be covered and secured with heavy plastic.

Waste shall be placed in appropriate containers. Properly sealed Department of Transportation approved bins or 55-gallon drums shall be used for holding contaminated soil and wastewater.

Workers exposed to excessive noise, which OSHA lists as 90 to 115 decibels, depending on the duration of exposure, shall wear proper hearing protection.

There will be no eating or smoking in work areas. Chewing gum or applying chapstick in the work area is also not recommended due to the potential to ingest airborne contaminants.

3.3 Physical Job Hazards

The following is a list of possible job hazards and the recommended measures to prevent such hazards from causing an accident:

- Equipment falling from overhead – wear hard hats.
- Heavy equipment and vehicles operating nearby – clearly mark exclusion area, wear orange vests and/or bright colored clothing.

Site Health and Safety Plan

- Bad housekeeping causing slips, trips, and falls – do not leave tools and equipment lying around, immediately clean up any spills.
- Pinch points – be cautious of pinch points that could injure hands or feet.
- Cutting tools – use caution with cutting tools as they are one of the main causes of injury. Safety cutting tools that do not have exposed blades are recommended.
- Improper lifting techniques – use legs when lifting, individuals should not lift over 50 pounds
- Heat stroke/exhaustion – drink plenty of water, wear cool clothing if possible, and take breaks. Recommended water intake is two 8-ounce glasses before beginning work, during rest periods, and at the end of the work. Other fluids could include diluted fruit juice or electrolyte replacement drinks. Sodas, coffee, and sugary drinks are not a replacement for water and can cause dehydration. See Section 5.2 Heat Stress for treatment information.
- Fire (above substances are flammable) – do not use open flame or equipment that might spark near flammable substances.
- Electrical hazards from below ground lines or overhead power lines – use hand clearing techniques whenever possible in the top 5 feet of borings or excavations, keep masts and overhead equipment a minimum of 15 feet from power lines.
- Unstable ground conditions or open holes from excavation activities – stay away from the edge of open holes and pits.
- Biological Hazards – watch for bees/wasp nests, fire ant hills, black widows, and long grass that might hide snakes, etc.
- Confined Spaces – Areas that may lack adequate ventilation may trap organic and/or combustible vapors resulting in oxygen depletion or overexposure to vapors. When site work occurs in potentially confined spaces, the air must be monitored for oxygen levels, flammable and toxic vapors. Workers must leave the area if oxygen falls below 19.5%, the lower explosive limit (LEL) is greater than 10%, or if organic vapor monitor (OVM) readings are greater than 100 parts per million by volume (ppmV).

Site Health and Safety Plan

Rainbow Disposal Company, Inc.
Huntington Beach, California

Page 5
February 20, 2007

3.4 Suspect Substances

The site has had a history of industrial uses and documented UST leaks. The constituents of concern (COCs) for this site are the fuel oxygenates such as benzene, toluene, ethylbenzene, and total xylenes which are found in gasoline, and a range of other volatile organic compounds (VOCs) which may have been released by solvent and other chemicals used at the site. Exposure to these substances is regulated by the Occupational Safety and Health Administration (OSHA). In addition the National Institute for Occupational Health and Safety (NIOSH) published recommended exposure levels (RELs). The RELs and OSHA Permissible Exposure Limits (PELs) for some of these substances are shown in the following table:

Permissible and Recommended Exposure Limits (in ppm)

Compound	OSHA PELs		NIOSH RELs	
	TWA	STEL	TWA	STEL
Benzene	1	5	0.1	1
Benzyl Chloride	1		Not Established	1
Carbon Tetrachloride	10	200	2	2
Chlorobenzene	75		Not Established	
Chloroform	50		2	
1,2-Dibromoethane	20	50	0.045	0.13
Dichlorobenzene	50		50	
1,1-Dichloroethane	100		100	
1,2-Dichloroethane	50	200	1	
1,1-Dichloroethene	Not Established			
Ethyl benzene	100	125	100	125
Hydrogen Sulfide	20	50	10	50
Perchloroethylene	100	300	50	100
Toluene	200	500	100	200
1,1,2-Trichloroethane	10		10	
Trichloroethene	100	300	Lowest possible	
Vinyl Chloride	1	5	Lowest possible	
Xylenes	100		100	200

Notes: Concentrations are in parts per million by volume in air. Abbreviations are: PEL = permissible exposure limit; REL = recommended exposure limit; TWA = time weighted average; STEL = short term exposure limit.

Site Health and Safety Plan

3.5 Personal Protective Equipment and Monitoring

We will initially be using level D personal protective equipment which includes: boots, gloves, hard hat and safety glasses. We will upgrade to level C personal protective equipment and use dust masks or half-face respirators fitted with dust/mist cartridges if the on-site Safety Officer determines it is necessary.

During drilling, soil sampling, and any soil/subsurface intrusive activity, Undifferentiated Volatile Organic Compound (UVOC) emissions will be monitored with a Photo Ionization Detector (PID) Organic Vapor Meter (OVM) calibrated to a benzene standard (isobutylene). The Site Safety Officer (SSO) will monitoring the breathing space and excavated material during drilling at 15-minute intervals or whenever odors are sensed. The times and concentrations encountered during monitoring will be recorded on an air quality monitoring log or the boring logs.

A perimeter survey will be conducted using the OVM prior to the start of work in order to establish baseline air concentration levels. Based on our understanding if potential chemical hazards, benzene has been identified as our "target compound" compound for air quality monitoring. Benzene has been chosen due to the fact that it has one of the lowest permissible (PEL) or recommended exposure limit (REL) of the volatile organic compounds potentially present at the site.

Although there is no benzene response curve for this unit, based on calculations involving the molecular weights of benzene, gasoline, and the known average concentration of benzene in fresh gasoline, 100 ppm hydrocarbon vapor would contain less than of 1 ppm benzene. For "weathered" gasoline, such as that anticipated at the project site, we believe that the 100 ppm value for total organic vapor will provide an adequate factor of safety. To approach the NIOSH STEL of 1 ppm exposure to benzene, a 100 ppm total organic vapor concentration would need to be present in the breathing space for 15 minutes. Therefore, in the event that the OVM registers 100 ppm for an extended duration (15 minutes), it will be assumed that the NIOSH STEL value for benzene exposure has been met. Upon reaching the NIOSH STEL respirators are required. To approach the NIOSH REL of 0.1 ppm benzene, employees wearing properly fitted half-face respirators would need to be exposed to 100 ppm total organic vapor concentrations for a continuous 10-hour period. To approach the OSHA PEL of 1 ppm using the suggested respiratory protection, a 1,000 ppm total organic vapor concentration would need to be present in the breathing space for a continuous 8-hour period. Therefore, implementing the air quality monitoring program detailed in this HSP will ensure no worker or employee will be exposed to vapor concentrations exceeding the legally permissible exposure limits.

Precautionary procedures which shall be taken during the field investigation are summarized in the table on the following page:

Site Health and Safety Plan

Rainbow Disposal Company, Inc.
Huntington Beach, California

Page 7
February 20, 2007

Action Levels and Procedures

Time or Action Level	Action
Initial site arrival	Perimeter survey with OVM
During drilling operations	OVM monitoring at 15-20 minute intervals
Non-detect to <100 on OVM	Monitor and record
OVM > 100 ppm	Monitor consistently for 15 minute period
OVM > 100 ppm for 10 minutes	Upgrade to level "C" respiratory protection

Air quality monitoring during groundwater sampling, equipment installation and other non-subsurface intrusive activities will be conducted at the discretion of the SSO. In the event hydrocarbon odors are sensed actions as described in the previous table will be implemented.

All ancillary activities will be located upwind of excavation activities as determined by a flag or other wind-direction indicating device mounted in the work area at an elevated position.

3.6 Underground Line & Utility Clearing

Drilling, trenching and excavation locations will be marked in advance of scheduled field activities in accordance with Underground Service Alert (USA) requirements. Records of such notification are to be maintained by the primary contract company.

3.7 Decontamination Procedures

Gloves shall be worn during all demolition and excavation activities.

4.0 EMERGENCY PROCEDURE

In the event of fire or other emergency dial 911.

The nearest hospital with an emergency room is the Huntington Beach Hospital and Medical Center, located at 17772 Beach Boulevard in Huntington Beach, California. The hospital is located one mile south of the site. To get to the hospital from the site, turn left onto Nichols Street, make a right onto Warner, make a right onto Beach Boulevard. The hospital will be on your left past Slater Avenue.

The hospital phone number is (714) 842-1473.

Site Health and Safety Plan

Rainbow Disposal Company, Inc.
Huntington Beach, California

Page 8
February 20, 2007

5.0 ACKNOWLEDGMENT AND UNDERSTANDING OF PLAN

This health and safety plan was prepared by the undersigned, having successfully completed OSHA standard 29 CFR 1910.120 40-hour hazardous materials health and safety training.

Health & Safety Director: Margaret Poch
for John McNamara

Site Health & Safety Officer: Margaret Poch
Margaret Patrick

Project Manager: Margaret Poch
for John McNamara

I UNDERSTAND AND AGREE TO THE ABOVE PLAN.

Jay Jansen [Signature] 2-22-07
Contractors:

Scott Willey [Signature] 2-22-07

[Signature]
Rafael Del Rio [Signature] 3-26-07 CDF

Geologist/Field Technicians: Margaret Poch 2/22/07
Margaret Poch 3/26/07

Directions

Distance

Total Est. Time: 3 minutes

Total Est. Distance: 1.14 miles



1: Start out going SOUTH on NICHOLS ST toward WAGON DR.

0.3 miles



2: Turn LEFT onto SLATER AVE.

0.3 miles



3: Turn RIGHT onto BEACH BLVD / CA-39 S.

0.3 miles



4: Make a U-TURN onto BEACH BLVD / CA-39 N.

<0.1 miles




5: End at 17772 Beach Blvd

Huntington Beach, CA 92647-6819, US

Total Est. Time: 3 minutes

Total Est. Distance: 1.14 miles



Start:

17121 Nichols St

Huntington Beach, CA 92647-5719,
US

End:

17772 Beach Blvd

Huntington Beach, CA 92647-6819,
US

APPENDIX C



SUBSURFACE EXPLORATION LOG

CLIENT: Rainbow Disposal

PROJECT NUMBER: 281C

LOCATION: 17121 Nichols Street Huntington Beach, CA

SURFACE ELEVATION:

GEOLOGIST: Margaret Patrick

DATE DRILLED: February 22, 2007

DRILLING COMPANY: Millennium Environmental, Inc.

NORTHING:

TOTAL DEPTH: 20'

Page 1 of 1

DRILLING METHOD: Hollow stem auger LAR rig

SAMPLE METHOD: split spoon Shelby tube with acetate sleeve

EASTING:

Depth (ft)	Samples	Time (24 hr)	Sample Number	FID/PID (ppm)		Blow Count	Recovery (ft)	GEOLOGIC DESCRIPTION										Soil Class. Symbol	Lithologic Contact (ft bgs)				
				Sample	Breathing Zone			% gravel	% sand	% non-plastic fines	% plastic fines	Lithologic Name	Color	Moisture	Density	Consistency	Plasticity			Angularity	Max. grain size	grading	Additional Modifiers
5		14:50	FDB-1-5'	0	0	N/A	2.5'	20	20	30	30	~ 4" Asphalt overlying ~ 3" base rock SILT, CLAY, SAND and fine Gravel	Mod. yell brown 10YR 5/4	dry		md stiff	sl		2mm	mod	fill?		5.5'
10		15:00	FDB-1-10'	0	0		3'	0	60	40	0	SILTY arkasic SAND	" "	dry	loose		non		0.2mm	poor	no odors	SM	
15		15:05	FDB-1-15'	0	0		2'	0	60	40	0	Same as above	" "	dry	loose		non		0.3mm	poor	no odors	SM	15'
20		15:10	FDB-1-20'	0	0		2'	0	10	60	30	CLAYEY SILT	mod- dark yell brown 10YR 5/4 4/2	dry		md. stiff	sl		fine	poor	no odors	ML	
25																							
Notes: Total Depth 20' Had to relocate boring after encountering Sewer line No groundwater or H.C. encountered backfilled with bentonite grout								> 1/4 inch	visible -1/4 in.	visible with hand lens	not visible	See USCS flow Charts. Describe sand and gravel grading, ie, fine to coarse grained	Use Munsell color chart if available	Dry Moist Wet	Course: v. loose loose md. dense dense	Fines: v. soft soft md. Stiff v. stiff hard	high med low non	A Sa Sr R	in inches	poorly vs. well	odor, staining, minerology, stucture, cementation,		



environ strategy consultants, inc.

SUBSURFACE EXPLORATION LOG

CLIENT: Rainbow Disposal

PROJECT NUMBER: 281C

LOCATION: 17121 Nichols Street Huntington Beach, CA

SURFACE ELEVATION:

GEOLOGIST: Margaret Patrick

DATE DRILLED: February 22, 2007

DRILLING COMPANY: Millennium Environmental, Inc.

NORTHING:

BORING/WELL ID NUMBER: FDB-2

TOTAL DEPTH: 20'

Page 1 of 1

DRILLING METHOD: Hollow stem auger LAR rig

SAMPLE METHOD: Shelby tube with acetate sleeve

EASTING:

Depth (ft)	Samples	Time (24 hr)	Sample Number	FID/PID (ppm)		Blow Count	Recovery (ft)	GEOLOGIC DESCRIPTION														Soil Class. Symbol	Lithologic Contact (ft bgs)	
				Sample	Breathing Zone			% gravel	% sand	% non-plastic fines	% plastic fines	Lithologic Name	Color	Moisture	Density	Consistency	Plasticity	Angularity	Max. grain size	grading	Additional Modifiers			
1			FDB-2-5'	0	0		2'	5	10	15	70	~4" Asphalt overlying ~3" base rock	mod. yell brown 10YR 5/4	damp			Stiff	sl.		fine	poor		CL	
5		9:45										"	"										7'	
2			FDB-2-10'	0	0		2'	0	80	20	0	7' med grained arkosic SAND	" "	damp			Soft	non		0.30 mm	poor		SM	
10		9:52										Same as above	" "	damp			soft	non		" "	poor		SM	
15		10:00	FDB-2-15'	0	0		2'																	16'
4		10:10	FDB-2-20'	0	0		2'	0	5	80	15	16' SILT with mica	mod-dark yellowish brown 10YR 5/4 10YR 4/2	moist			stiff	sl.		fine	poor		ML	
20																								
25																								
Notes: Total Depth 20' No H.C. encountered Backfilled hole with bentonite grout Finished at surface w/ asphalt								> 1/4 inch	visible -1/4 in.	visible with hand lens	not visible	See USCS flow Charts. Describe sand and gravel grading, ie, fine to coarse grained	Use Munsell color chart if available	Dry Moist Wet	Course: v. loose loose md. dense dense	Fines: v. soft soft md. Stiff v. stiff hard	high med low non	A Sa Sr R	in inches	poorly vs. well	odor, staining, minerology, stucture, cementation,			



SUBSURFACE EXPLORATION LOG

CLIENT: Rainbow Disposal

PROJECT NUMBER: 281E

LOCATION: 17121 Nichols Street Huntington Beach, CA

SURFACE ELEVATION:

GEOLOGIST: Margaret Patrick

DATE DRILLED: March 26, 2007

DRILLING COMPANY: Cascade Drilling Inc.

NORTHING:

TOTAL DEPTH: 2'

Page 1 of 1

DRILLING METHOD: Hollow stem auger rig

SAMPLE METHOD: split spoon

EASTING:

Depth (ft)	Samples	Time (24 hr)	Sample Number	FID/PID (ppm)		Blow Count	Recovery (ft)	GEOLOGIC DESCRIPTION										Soil Class. Symbol	Lithologic Contact (ft bgs)				
				Sample	Breathing Zone			% gravel	% sand	% non-plastic fines	% plastic fines	Lithologic Name	Color	Moisture	Density	Consistency	Plasticity			Angularity	Max. grain size	grading	Additional Modifiers
1		12:07	FDB-10-2'	0.2	0	7-9-10	1.5'	0	10	30	60	4" asphalt overlain by 3" base rock CLAY and SILT	dk yell brown	damp		md. stiff	med	-	Fine	poor	No H.C. Odors	CL	
5																							
10												end of boring											
15																							
20																							
25																							
30																							
Notes: TD. 2' No groundwater or H.C. encountered backfilled with clean native soil finished at surface w/ color matched quick								> 1/4 inch	visible -1/4 in.	visible with hand lens	not visible	See USCS flow Charts. Describe sand and gravel grading, ie, fine to coarse grained	Use Munsell color chart if available	Dry Moist Wet	Course: v. loose loose md. dense dense	Fines: v. soft soft md. Stiff v. stiff hard	high med low non	A Sa Sr R	in inches	poorly vs. well	odor, staining, mineralogy, stucture, cementation,		



SUBSURFACE EXPLORATION LOG

CLIENT: Rainbow Disposal

PROJECT NUMBER: 281E

LOCATION: 17121 Nichols Street Huntington Beach, CA

SURFACE ELEVATION:

GEOLOGIST: Margaret Patrick

DATE DRILLED: March 26, 2007

DRILLING COMPANY: Cascade Drilling Inc.

NORTHING:

TOTAL DEPTH: 13'

Page 1 of 1

DRILLING METHOD: Hollow stem auger rig

SAMPLE METHOD: split spoon

EASTING:

Depth (ft)	Samples	Time (24 hr)	Sample Number	FID/PID (ppm)		Blow Count	Recovery (ft)	GEOLOGIC DESCRIPTION										Soil Class. Symbol	Lithologic Contact (ft bgs)				
				Sample	Breathing Zone			% gravel	% sand	% non-plastic fines	% plastic fines	Lithologic Name	Color	Moisture	Density	Consistency	Plasticity			Angularity	Max. grain size	grading	Additional Modifiers
5		12:20	FDB-11-3	0.5	0	7-10-14	1.5	0	10	40	50	4" asphalt overlying 3" base rock CLAY and SILT w/ trace SAND	dusky yell brown 10YR 2/2	clay moist		soft	mod	-	.25 mm	poor	no H.C. odors	CL	
10		12:23	FDB-11-8	0.1	0	8-11-16	1.5	0	0	50	50	SILT and CLAY	mod. yell brown 10YR 5/4	clay		md. stiff	low	-	fine	poor	micaceous	ML	
15		12:26	FDB-11-13	0.1	0	10-12-17	1	0	0	50	50	mottled SILT and CLAY	pale to dk yell brown 10YR 4/2-6/2	dry clay		md. stiff	low	-	fine	poor	fault gouge no H.C. odors	ML	
20												end of boring											
25																							
30																							
Notes: TD 13' no groundwater or H.C. encountered backfilled w/ clean native finished at surface w/ color matched neat								> 1/4 inch	visible -1/4 in.	visible with hand lens	not visible	See USCS flow Charts. Describe sand and gravel grading, ie, fine to coarse grained	Use Munsell color chart if available	Dry Moist Wet	Course: v. loose loose md. dense dense	Fines: v. soft soft md. Stiff v. stiff hard	high med low non	A Sa Sr R	in inches	poorly vs. well	odor, staining, mineralogy, stucture, cementation,		

Percent

APPENDIX D

